

COMPAL CONFIDENTIAL

MODEL NAME : QAM00
PCB NO : LA-7731P
BOM P/N : 4319ET31L01
GPIO MAP:

Dalmore 12 UMA

Ivy Bridge + Panther POINT
2011-8-30
REV : 0.3 (X01)
@ : Nopop Component
CONN@ : Connector Component

MB Type	BOM P/N	
M/B SPI ROM		5@
TAA SPI ROM		6@
SATA re-driver with CD function		7@
Normal E-SATA re-driver		8@

MB PCB	
Part Number	Description
DA60000P700	PCB OFH LA-7731P REV0 M/B UMA

@HDMI Royalty	
Part Number	Description
RO0000002HM	HDMI Royalty

PROPRIETARY NOTE: THIS SHEET OF ENGINEERING DRAWING AND SPECIFICATIONS CONTAINS CONFIDENTIAL TRADE SECRET AND OTHER PROPRIETARY INFORMATION OF DELL INC. ("DELL"). THIS DOCUMENT MAY NOT BE TRANSFERRED OR COPIED WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF DELL. IN ADDITION, NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT DELL'S EXPRESS WRITTEN CONSENT.

DELL CONFIDENTIAL/PROPRIETARY



Compal Electronics, Inc.

Title

Cover Sheet

Size

Document Number

LA-7731P

Rev

0.3

Date

Thursday, September 01, 2011


Sheet

1

of

59

Block Diagram



POWER STATES

Signal State	SLP S3#	SLP S4#	SLP S5#	SLP A#	ALWAYS PLANE	M PLANE	SUS PLANE	RUN PLANE	CLOCKS
S0 (Full ON) / M0	HIGH	HIGH	HIGH	HIGH	ON	ON	ON	ON	ON
S3 (Suspend to RAM) / M3	LOW	HIGH	HIGH	HIGH	ON	ON	ON	OFF	OFF
S4 (Suspend to DISK) / M3	LOW	LOW	HIGH	HIGH	ON	ON	OFF	OFF	OFF
S5 (SOFT OFF) / M3	LOW	LOW	LOW	HIGH	ON	ON	OFF	OFF	OFF
S3 (Suspend to RAM) / M-OFF	LOW	HIGH	HIGH	LOW	ON	OFF	ON	OFF	OFF
S4 (Suspend to DISK) / M-OFF	LOW	LOW	HIGH	LOW	ON	OFF	OFF	OFF	OFF
S5 (SOFT OFF) / M-OFF	LOW	LOW	LOW	LOW	ON	OFF	OFF	OFF	OFF

PM TABLE

power plane State	+15V_ALW +5V_ALW +3.3V_ALW_PCH +3.3V_RTC_LDO	+3.3V_SUS +1.5V_MEM	+5V_RUN +3.3V_RUN +1.8V_RUN +1.5V_RUN +0.75V_DDR_VTT +VCC_CORE +1.05V_RUN_VTT +1.05V_RUN	+3.3V_M +1.05V_M (M-OFF)	+3.3V_M +1.05V_M (M-OFF)
S0	ON	ON	ON	ON	ON
S3	ON	ON	OFF	ON	OFF
S5 S4/AC	ON	OFF	OFF	ON	OFF
S5 S4/AC don't exist	OFF	OFF	OFF	OFF	OFF

need to update Power Status and PM Table

Layer No.	Name	Er	Material	Thickness (Material SPEC.) Unit : mil	Thickness (Actually) Unit : mil
			SolderMask	IT-158	0.50
			Add Plating		1.00
1	Top		Copper foil	0.5oz	0.65
		3.7	Prepreg	1080	2.68
2	GND/PWR		Copper foil	1oz	1.35
		3.7	Core	4mil	3.91
3	Sig 1		Copper foil	1oz	1.35
		4.7	Prepreg	7628HRC+2116HRCx2+7628HRC	33.60
4	Sig 2		Copper foil	1oz	1.35
		3.7	Core	4mil	3.91
5	GND/PWR		Copper foil	1oz	1.35
		3.7	Prepreg	1080	2.68
6	Bottom		Copper foil	0.5oz	0.65
			Add Plating		1.00
			SolderMask		0.50
Overall Thickness (1.2mm ±10%)				47.6	46.32000

SATA	DESTINATION
SATA 0	HDD
SATA 1	NA
SATA 2	NA
SATA 3	NA
SATA 4	ESATA
SATA 5	Dock

PCH	USB PORT#	DESTINATION
	0	JUSB1 (Right side)
	1	JUSB2 (Bot side)
	2	NA
	3	MLK DOCK
	4	WLAN
	5	WWAN
	6	JMINI3(PP)
	7	USH->BIO
	8	DOCKING
	9	JESATA1 (Left)
	10	Express card
	11	Bluetooth
	12	Camera
	13	NA

USH	0	BIO
	1	NA


PCI EXPRESS	DESTINATION
Lane 1	MINI CARD-1 WWAN
Lane 2	MINI CARD-2 WLAN
Lane 3	Express card
Lane 4	None
Lane 5	1/2vMINI CARD-3 PCIE
Lane 6	MMI
Lane 7	10/100/1G LOM
Lane 8	None

UMA DP/HDMI Port	Connetion
Port B	MB HDMI Conn
Port C	Dock DP port 2
Port D	Dock DP port 1






DELL CONFIDENTIAL/PROPRIETARY

Compal Electronics, Inc.			
Index and Config.			
Title	Document Number	Rev	
	LA-7731P	0.3	
Date:	Thursday, September 01, 2011	Sheet	3 of 59

PROPRIETARY NOTE: THIS SHEET OF ENGINEERING DRAWING AND SPECIFICATIONS CONTAINS CONFIDENTIAL TRADE SECRET AND OTHER PROPRIETARY INFORMATION OF DELL INC. ("DELL") THIS DOCUMENT MAY NOT BE TRANSFERRED OR COPIED WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF DELL. IN ADDITION, NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT DELL'S EXPRESS WRITTEN CONSENT.





SMBUS Address [0x9a]



SMBUS Address
APR_EC: 0x48
SPR_EC: 0x70
MSLICE_EC: 0x72
USB: 0x59
AUDIO: 0x34
SLICE_BATTERY: 0x17
SLICE_CHARGER: 0x13

- (1) PEG_RCOMP0 (G4) use 4mil connect to PEG_ICOMPI, then use 4mil connect to RC2.
(2) PEG_ICOMPO use 12mil connect to RC2









PROPRIETARY NOTE: THIS SHEET OF ENGINEERING DRAWING AND SPECIFICATIONS CONTAINS CONFIDENTIAL TRADE SECRET AND OTHER PROPRIETARY INFORMATION OF DELL INC. ("DELL") THIS DOCUMENT MAY NOT BE TRANSFERRED OR COPIED WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF DELL. IN ADDITION, NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT DELL'S EXPRESS WRITTEN CONSENT.

DELL CONFIDENTIAL/PROPRIETARY




Compal Electronics, Inc.			
Sandy Bridge (1/6)			
LA-7731P			
Date:	Thursday, September 01, 2011	Sheet	6 of 59



DELL CONFIDENTIAL/PROPRIETARY

Compal Electronics, Inc.			
Sandy Bridge (2/6)			
Title	Document Number	Rev 0.3	
Date: Thursday, September 01, 2011	Sheet 7 of 59		


PROPRIETARY NOTE: THIS SHEET OF ENGINEERING DRAWING AND SPECIFICATIONS CONTAINS CONFIDENTIAL TRADE SECRET AND OTHER PROPRIETARY INFORMATION OF DELL INC. ("DELL") THIS DOCUMENT MAY NOT BE TRANSFERRED OR COPIED WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF DELL. IN ADDITION, NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT DELL'S EXPRESS WRITTEN CONSENT.




PROPRIETARY NOTE: THIS SHEET OF ENGINEERING DRAWING AND SPECIFICATIONS CONTAINS CONFIDENTIAL TRADE SECRET AND OTHER PROPRIETARY INFORMATION OF DELL INC. ("DELL") THIS DOCUMENT MAY NOT BE TRANSFERRED OR COPIED WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF DELL. IN ADDITION, NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT DELL'S EXPRESS WRITTEN CONSENT.




CFG Straps for Processor




PEG Static Lane Reversal - CFG2 is for the 16x	
CFG2	1:(Default) Normal Operation; Lane # definition matches socket pin map definition 0:Lane Reversed




Display Port Presence Strap	
CFG4	1 : Disabled; No Physical Display Port attached to Embedded Display Port 0 : Enabled; An external Display Port device is connected to the Embedded Display Port



PCIe Port Bifurcation Straps	
CFG[6:5]	11: (Default) x16 - Device 1 functions 1 and 2 disabled 10: x8, x8 - Device 1 function 1 enabled ; function 2 disabled 01: Reserved - (Device 1 function 1 disabled ; function 2 enabled) 00: x8,x4,x4 - Device 1 functions 1 and 2 enabled



PEG DEFER TRAINING	
CFG7	1: (Default) PEG Train immediately following xRESETB de assertion 0: PEG Wait for BIOS for training



DELL CONFIDENTIAL/PROPRIETARY

Compal Electronics, Inc.




Sandy Bridge (4/6)

LA-7731P

Rev 0.3

Date: Thursday, September 01, 2011 Sheet 9 of 59

PROPRIETARY NOTE: THIS SHEET OF ENGINEERING DRAWING AND SPECIFICATIONS CONTAINS CONFIDENTIAL TRADE SECRET AND OTHER PROPRIETARY INFORMATION OF DELL INC. ("DELL") THIS DOCUMENT MAY NOT BE TRANSFERRED OR COPIED WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF DELL. IN ADDITION, NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT DELL'S EXPRESS WRITTEN CONSENT.



DELL CONFIDENTIAL/PROPRIETARY

Compal Electronics, Inc.

Sandy Bridge (6/6)

LA-7731P

Date: Thursday, September 01, 2011 Sheet 11 of 59

H=4mm
+V_DDR_REFA_M3 RD7 2 0.0402 5%-D
+V_DDR_REF RD1 2 0.0402 5%-D
+DIMM1_VREF_DQ
+1.5V_MEM
+1.5V_MEM 2-3A to 1 DIMMs/channel


Populate RD1, De-Populate RD7 for Intel DDR3 VREFDQ multiple methods M1
Populate RD7, De-Populate RD1 for Intel DDR3 VREFDQ multiple methods M3

All VREF traces should have 10 mil trace width



<8> DDR_A_DQS#[0..7] <<>>
<8> DDR_A_D[0..63] <<>>
<8> DDR_A_DQS[0..7] <<>>
<8> DDR_A_MA[0..15] <<>>

Layout Note:
Place near JDIMM1



Note:
Check voltage tolerance of VREF_DQ at the DIMM socket



Layout Note:
Place near JDIMM1.203,204



<13> DDR3_DRAMRST#_R <<DDR3_DRAMRST#_R RD28 2 1K 0402 1%-D >> DDR3_DRAMRST# <-7>




DELL CONFIDENTIAL/PROPRIETARY



Compal Electronics, Inc.			
DDRIII-SODIMM SLOT1			
Size	Document Number	Rev	
	LA-7731P	0.3	
Date:	Thursday, September 01, 2011	Sheet	12 of 59

PROPRIETARY NOTE: THIS SHEET OF ENGINEERING DRAWING AND SPECIFICATIONS CONTAINS CONFIDENTIAL TRADE SECRET AND OTHER PROPRIETARY INFORMATION OF DELL INC. ("DELL") THIS DOCUMENT MAY NOT BE TRANSFERRED OR COPIED WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF DELL. IN ADDITION, NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT DELL'S EXPRESS WRITTEN CONSENT.

JDIMMB Reverse Type




Note:
Check voltage tolerance of
VREF_DQ at the DIMM socket

Populate RD4, De-Populate RD8 for Intel DDR3
VREFDQ multiple methods M1
Populate RD8, De-Populate RD4 for Intel DDR3
VREFDQ multiple methods M3


<8> DDR_B_DQS#0[.7] <<>
<8> DDR_B_DQ[0.63] <<>
<8> DDR_B_DQS#0[.7] <<>
<8> DDR_B_MA[0.15] <<>

All VREF traces should
have 10 mil trace width

Layout Note:
Place near JDIMM2




Layout Note:
Place near JDIMM2.203,204



<8> DDR_CKE2_DIMMB <<>
<8> DDR_BS2 <<>
<8> M_CLK_DDR2 <<>
<8> M_CLK_DDR#2 <<>
<8> DDR_BS0 <<>
<8> DDR_WE# <<>
<8> DDR_CAS# <<>
<8> DDR_CS3_DIMMB# <<>
DDR_B_D0
DDR_B_D1
DDR_B_D2
DDR_B_D3
DDR_B_D8
DDR_B_D9
DDR_B_DQS#1
DDR_B_DQS1
DDR_B_D10
DDR_B_D11
DDR_B_D16
DDR_B_D17
DDR_B_DQS#2
DDR_B_DQS2
DDR_B_D18
DDR_B_D19
DDR_B_D24
DDR_B_D25
DDR_B_D26
DDR_B_D27
DDR_CKE2_DIMMB
DDR_BS2
DDR_MA12
DDR_MA9
DDR_MA8
DDR_MA5
DDR_MA3
DDR_MA1
M_CLK_DDR2
M_CLK_DDR#2
DDR_BS0
DDR_WE#
DDR_CAS#
DDR_MA13
DDR_CS3_DIMMB#
DDR_B_D32
DDR_B_D33
DDR_B_D34
DDR_B_D35
DDR_B_D36
DDR_B_D37
DDR_B_D38
DDR_B_D39
DDR_B_D40
DDR_B_D41
DDR_B_D42
DDR_B_D43
DDR_B_D48
DDR_B_D49
DDR_B_DQS#6
DDR_B_DQS6
DDR_B_D50
DDR_B_D51
DDR_B_D56
DDR_B_D57
DDR_B_D58
DDR_B_D59

H=4mm 2-3A to 1 DIMMs/channel



PROPRIETARY NOTE: THIS SHEET OF ENGINEERING DRAWING AND SPECIFICATIONS CONTAINS CONFIDENTIAL
TRADE SECRET AND OTHER PROPRIETARY INFORMATION OF DELL INC. ("DELL"). THIS DOCUMENT MAY NOT
BE TRANSFERRED OR COPIED WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF DELL. IN ADDITION,
NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD
PARTY WITHOUT DELL'S EXPRESS WRITTEN CONSENT.


DELL CONFIDENTIAL/PROPRIETARY





























Compal Electronics, Inc.			
Title			
DDRIII-SODIMM SLOT2			
LA-7731P			
Size	Document Number	Rev	0.3
Date: Thursday, September 01, 2011	Sheet	13	of 59

CMOS CLR1	CMOS setting
Shunt	Clear CMOS
Open	Keep CMOS

ME CLR1	TPM setting
Shunt	Clear ME RTC Registers
Open	Keep ME RTC Registers



INTVRMEN- Integrated SUS
1.1V VRM Enable
High - Enable Internal VRs
Low - Enable External VRs



PROPRIETARY NOTE: THIS SHEET OF ENGINEERING DRAWING AND SPECIFICATIONS CONTAINS CONFIDENTIAL TRADE SECRET AND OTHER PROPRIETARY INFORMATION OF DELL INC. ("DELL"). THIS DOCUMENT MAY NOT BE TRANSFERRED OR COPIED WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF DELL. IN ADDITION, NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT DELL'S EXPRESS WRITTEN CONSENT.



DELL CONFIDENTIAL/PROPRIETARY

Compal Electronics, Inc.

File PCH (1/8)

Size Document Number LA-7731P

Date: Thursday, September 01, 2011 Sheet 14 of 59

EXPRESS Card---

MMI ---->

10/100/1G LAN --->

10/100/1G LAN --->

MMI Card--->

PP (Mini Card 3)--->


Express card--->

— *Journal of the American Medical Association*, 1997

PROPRIETARY NOTE: THIS SHEET OF ENGINEERING DRAWING AND SPECIFICATIONS CONTAINS CONFIDENTIAL TRADE SECRET AND OTHER PROPRIETARY INFORMATION OF DELL INC. ("DELL") THIS DOCUMENT MAY NOT BE TRANSFERRED OR COPIED WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF DELL. IN ADDITION, NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT DELL'S EXPRESS WRITTEN CONSENT.




Date:	Thursday, September 01, 2011	Sheet	15	of	59
-------	------------------------------	-------	----	----	----











Remove RH116, RH117, RH118, RH320, RH120, RH121, RH122 to save room for D4 12" only

PROPRIETARY NOTE: THIS SHEET OF ENGINEERING DRAWING AND SPECIFICATIONS CONTAINS CONFIDENTIAL TRADE SECRET AND OTHER PROPRIETARY INFORMATION OF DELL INC. ("DELL"). THIS DOCUMENT MAY NOT BE TRANSFERRED OR COPIED WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF DELL. IN ADDITION, NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT DELL'S EXPRESS WRITTEN CONSENT.



Remove RH335,RH336,RH337,RH338
to save room for D12" only



DELL CONFIDENTIAL/PROPRIETARY


Compal Electronics, Inc.

PCH (4/8)

LA-7731P



Rev	0.3
-----	-----

Date: Thursday, September 01, 2011 Sheet 17 of 59






Note: PCH has internal pull up 20k ohm on E3_PAID_TS_DET# (GPIO27)


SLP_ME_CSW_DEV#	PLL ON DIE VR ENABLE
ENABLED - HIGH DEFAULT	
DISABLED - LOW	



Layout note:
Trace wide 10mil & length 30mil
All NCTF pins should have thick traces at 45° from the pad.




	TPM_ID0	TPM_ID1
USH2.0	1	1






GPIO

CPU/MISC

NCTF




Layout note:
Trace wide 10mil & length 30mil
All NCTF pins should have thick traces at 45° from the pad.



DELL CONFIDENTIAL/PROPRIETARY

Compal Electronics, Inc.			
PCH (5/8)			
LA-7731P			
Rev 0.3			
Date: Thursday, September 01, 2011			
Sheet 18 of 59			



PCH Power Rail Table		
Voltage Rail	Voltage	SO Iccmax Current (A)
V_PROC_IO	1.05	0.001
V5REF	5	0.001
V5REF_Sus	5	0.001
Vcc3_3	3.3	0.266
VccADAC3	3.3	0.001
VccADPLLA	1.05	0.08
VccADPLLB	1.05	0.08
VccCore	1.05	1.3
VccDMI	1.05	0.042
VccIO	1.05	2.925
VccASW	1.05	1.01
VccSPI	3.3	0.020
VccDSW3_3	3.3	0.003
VCCDFTerm	1.8	0.19
VccRTC	3.3	2 (mA)
VccSus3_3	3.3	0.119
VccSusHDA	3.3	0.01
VccVRM	1.8 / 1.5	0.16
VccClkDMI	1.05	0.02
VccSSC	1.05	0.095
VccDIFFCLKN	1.05	0.055
VccALVDS	3.3	0.001
VccTX_LVDS	1.8	0.06
VccAPLEXP	1.05	0.05




DELL CONFIDENTIAL/PROPRIETARY

Compal Electronics, Inc.

Title			PCH (6/8)
Size	Document Number	Rev	
	LA-7731P	0.3	
Date:	Thursday, September 01, 2011	Sheet	19 of 59

PROPRIETARY NOTE: THIS SHEET OF ENGINEERING DRAWING AND SPECIFICATIONS CONTAINS CONFIDENTIAL TRADE SECRET AND OTHER PROPRIETARY INFORMATION OF DELL INC. ("DELL"). THIS DOCUMENT MAY NOT BE TRANSFERRED OR COPIED WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF DELL. IN ADDITION, NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT DELL'S EXPRESS WRITTEN CONSENT.



UH4H		
H5	VSS[0]	
AA17	VSS[1]	VSS[80] AK38
AA2	VSS[2]	VSS[81] AK4
AA3	VSS[3]	VSS[82] AK46
AA33	VSS[4]	VSS[83] AK5
AA34	VSS[5]	VSS[84] AK8
AB11	VSS[6]	VSS[85] AL16
AB14	VSS[7]	VSS[86] AL17
AB39	VSS[8]	VSS[87] AL19
AB4	VSS[9]	VSS[88] AL2
AB43	VSS[10]	VSS[89] AL21
AB5	VSS[11]	VSS[90] AL23
AB7	VSS[12]	VSS[91] AL26
AC19	VSS[13]	VSS[92] AL27
AC2	VSS[14]	VSS[93] AL31
AC21	VSS[15]	VSS[94] AL34
AC24	VSS[16]	VSS[95] AL48
AC33	VSS[17]	VSS[96] AM11
AC34	VSS[18]	VSS[97] AM14
AC48	VSS[19]	VSS[98] AM36
AD10	VSS[20]	VSS[99] AM39
AD11	VSS[21]	VSS[100] AM43
AD12	VSS[22]	VSS[101] AM45
AD13	VSS[23]	VSS[102] AM46
AD19	VSS[24]	VSS[103] AM7
AD24	VSS[25]	VSS[104] AN2
AD26	VSS[26]	VSS[105] AN29
AD27	VSS[27]	VSS[106] AN3
AD33	VSS[28]	VSS[107] AN31
AD34	VSS[29]	VSS[108] AP12
AD36	VSS[30]	VSS[109] AP19
AD37	VSS[31]	VSS[110] AP28
AD38	VSS[32]	VSS[111] AP29
AD39	VSS[33]	VSS[112] AP32
AD4	VSS[34]	VSS[113] AP38
AD40	VSS[35]	VSS[114] AP4
AD42	VSS[36]	VSS[115] AP42
AD43	VSS[37]	VSS[116] AP46
AD45	VSS[38]	VSS[117] AP8
AD46	VSS[39]	VSS[118] AR2
AD8	VSS[40]	VSS[119] AR48
AE2	VSS[41]	VSS[120] AT11
AE3	VSS[42]	VSS[121] AT13
AF10	VSS[43]	VSS[122] AT22
AF12	VSS[44]	VSS[123] AT26
AD14	VSS[45]	VSS[124] AT28
AD16	VSS[46]	VSS[125] AT30
AF16	VSS[47]	VSS[126] AT32
AF19	VSS[48]	VSS[127] AT34
AF24	VSS[49]	VSS[128] AT39
AF26	VSS[50]	VSS[129] AT42
AF27	VSS[51]	VSS[130] AT46
AF29	VSS[52]	VSS[131] AU24
AF31	VSS[53]	VSS[132] AU30
AF38	VSS[54]	VSS[133] AV16
AF4	VSS[55]	VSS[134] AV20
AF42	VSS[56]	VSS[135] AV24
AF46	VSS[57]	VSS[136] AV30
AF5	VSS[58]	VSS[137] AV38
AF7	VSS[59]	VSS[138] AV43
AF8	VSS[60]	VSS[139] AV8
AG19	VSS[61]	VSS[140] AW14
AG2	VSS[62]	VSS[141] AW18
AG31	VSS[63]	VSS[142] AW2
AG48	VSS[64]	VSS[143] AW22
AH11	VSS[65]	VSS[144] AW26
AH3	VSS[66]	VSS[145] AW28
AH36	VSS[67]	VSS[146] AW32
AH39	VSS[68]	VSS[147] AW36
AH40	VSS[69]	VSS[148] AW40
AH42	VSS[70]	VSS[149] AW48
AH46	VSS[71]	VSS[150] AY11
AH7	VSS[72]	VSS[151] AY12
AJ19	VSS[73]	VSS[152] AY22
AJ21	VSS[74]	VSS[153] AY28
AJ24	VSS[75]	VSS[154]
AJ33	VSS[76]	VSS[155]
AJ34	VSS[77]	VSS[156]
AK12	VSS[78]	VSS[157]
AK3	VSS[79]	VSS[158]

BD82PPSM-QNHN-A0_BGA989-D

UH4I		
AY4	VSS[159]	VSS[259] H46
AY42	VSS[160]	VSS[260] K18
AY46	VSS[161]	VSS[261] K26
AY8	VSS[162]	VSS[262] K39
B11	VSS[163]	VSS[263] K46
B15	VSS[164]	VSS[264] K7
B19	VSS[165]	VSS[265] L18
B23	VSS[166]	VSS[266] L2
B27	VSS[167]	VSS[267] L20
B31	VSS[168]	VSS[268] L26
B39	VSS[169]	VSS[269] L38
B7	VSS[170]	VSS[270] L48
F45	VSS[171]	VSS[271] M12
B12	VSS[172]	VSS[272] P16
BB16	VSS[173]	VSS[273] M18
BB20	VSS[174]	VSS[274] M22
BB22	VSS[175]	VSS[275] M24
BB24	VSS[176]	VSS[276] M30
BB28	VSS[177]	VSS[277] M32
BB30	VSS[178]	VSS[278] M34
BB38	VSS[179]	VSS[279] M38
BB4	VSS[180]	VSS[280] M4
BB46	VSS[181]	VSS[281] M42
BC14	VSS[182]	VSS[282] M46
BC18	VSS[183]	VSS[283] M8
BC2	VSS[184]	VSS[284] N18
BC22	VSS[185]	VSS[285] P30
BC26	VSS[186]	VSS[286] P11
BC32	VSS[187]	VSS[287] P18
BC34	VSS[188]	VSS[288] T33
BC36	VSS[189]	VSS[289] P40
BC40	VSS[190]	VSS[290] P43
BC42	VSS[191]	VSS[291] P47
BC48	VSS[192]	VSS[292] P7
BD46	VSS[193]	VSS[293] R2
BD5	VSS[194]	VSS[294] R48
BE22	VSS[195]	VSS[295] T12
BE26	VSS[196]	VSS[296] T31
BE40	VSS[197]	VSS[297] T4
BF10	VSS[198]	VSS[298] W34
BF12	VSS[199]	VSS[299] T46
BF16	VSS[200]	VSS[300] T8
BF20	VSS[201]	VSS[301] V11
BF22	VSS[202]	VSS[302] V17
BF24	VSS[203]	VSS[303] V26
BF26	VSS[204]	VSS[304] V27
BF28	VSS[205]	VSS[305] V29
BF28	VSS[206]	VSS[306] V31
BF30	VSS[207]	VSS[307] V38
BF38	VSS[208]	VSS[308] V43
BF40	VSS[209]	VSS[309] V7
BF48	VSS[210]	VSS[310] W17
BG17	VSS[211]	VSS[311] W19
BG21	VSS[212]	VSS[312] W2
BG33	VSS[213]	VSS[313] W27
BG44	VSS[214]	VSS[314] W48
BG48	VSS[215]	VSS[315] Y12
BH11	VSS[216]	VSS[316] Y4
BH15	VSS[217]	VSS[317] Y42
BH17	VSS[218]	VSS[318] Y46
BH19	VSS[219]	VSS[319] Y8
H10	VSS[220]	VSS[320] BG29
BH27	VSS[221]	VSS[321] N24
BH31	VSS[222]	VSS[322] A3
BH33	VSS[223]	VSS[323] AD47
BH35	VSS[224]	VSS[324] B43
BH39	VSS[225]	VSS[325] BE10
BH43	VSS[226]	VSS[326] BG41
BH7	VSS[227]	VSS[327] G14
D1	VSS[228]	VSS[328] H16
D12	VSS[229]	VSS[329] T36
D16	VSS[230]	VSS[330] BG22
D18	VSS[231]	VSS[331] BG24
D22	VSS[232]	VSS[332] C22
D24	VSS[233]	VSS[333] AP13
D26	VSS[234]	VSS[334] M14
D30	VSS[235]	VSS[335] AP3
D32	VSS[236]	VSS[336] AP1
D34	VSS[237]	VSS[337] BE16
D38	VSS[238]	VSS[338] BC16
D42	VSS[239]	VSS[339] BG28
D8	VSS[240]	VSS[340] B28
E18	VSS[241]	VSS[341] J28
E26	VSS[242]	VSS[342]
G18	VSS[243]	VSS[343]
G20	VSS[244]	VSS[344]
G26	VSS[245]	VSS[345]
G28	VSS[246]	VSS[346]
G36	VSS[247]	VSS[347]
G48	VSS[248]	VSS[348]
H12	VSS[249]	VSS[349]
H18	VSS[250]	VSS[350]
H22	VSS[251]	VSS[351]
H24	VSS[252]	VSS[352]
H26	VSS[253]	
H28	VSS[254]	
H30	VSS[255]	
H32	VSS[256]	
H34	VSS[257]	
F3	VSS[258]	

BD82PPSM-QNHN-A0_BGA989-D

PROPRIETARY NOTE: THIS SHEET OF ENGINEERING DRAWING AND SPECIFICATIONS CONTAINS CONFIDENTIAL TRADE SECRET AND OTHER PROPRIETARY INFORMATION OF DELL INC. ("DELL"). THIS DOCUMENT MAY NOT BE TRANSFERRED OR COPIED WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF DELL. IN ADDITION, NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT DELL'S EXPRESS WRITTEN CONSENT.








DELL CONFIDENTIAL/PROPRIETARY

Compal Electronics, Inc.

Title: PCH (8/8)

Size: Document Number LA-7731P Rev 0.3

Date: Thursday, September 01, 2011 Sheet 21 of 59




LA-7731P


Title			
FAN & Thermal Sensor			
Size	Document Number		Rev
	LA-7731P		0.3
Date:	Thursday, September 01, 2011	Sheet 22 of 50	

PROPRIETARY NOTE: THIS SHEET OF ENGINEERING DRAWING AND SPECIFICATIONS CONTAINS CONFIDENTIAL TRADE SECRET AND OTHER PROPRIETARY INFORMATION OF DELL INC. ("DELL") THIS DOCUMENT MAY NOT BE TRANSFERRED OR COPIED WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF DELL. IN ADDITION, NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT DELL'S EXPRESS WRITTEN CONSENT.

SW for MB/DOCK




SEL1/SEL2	Chanel	Source
0	A=B1	MB
1	A=B2	APR/SPR










DELL CONFIDENTIAL/PROPRIETARY

	Compal Electronics, Inc.		
	Title CRT/Video switch		
	Size	Document Number LA-7731P	Rev 0.3
	Date: Thursday, September 01, 2011	Sheet 23	of 59



TMDSB_PCH_P2_C R452 1 2 680_0402_5%-D HDMI_OB
 TMDSB_PCH_N2_C R450 1 2 680_0402_5%-D
 TMDSB_PCH_P1_C R448 1 2 680_0402_5%-D
 TMDSB_PCH_N1_C R449 1 2 680_0402_5%-D
 TMDSB_PCH_P0_C R454 1 2 680_0402_5%-D
 TMDSB_PCH_N0_C R453 1 2 680_0402_5%-D
 TMDSB_PCH_CLK_C R456 1 2 680_0402_5%-D
 TMDSB_PCH_CLK#_C R455 1 2 680_0402_5%-D




PROPRIETARY NOTE: THIS SHEET OF ENGINEERING DRAWING AND SPECIFICATIONS CONTAINS CONFIDENTIAL
 TRADE SECRET AND OTHER PROPRIETARY INFORMATION OF DELL INC. ("DELL") THIS DOCUMENT MAY NOT
 BE TRANSFERRED OR COPIED WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF DELL. IN ADDITION,
 NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD
 PARTY WITHOUT DELL'S EXPRESS WRITTEN CONSENT.

DELL CONFIDENTIAL/PROPRIETARY



Compal Electronics, Inc.			
HDMI port			
Size	Document Number	Rev	
	LA-7731P	0.3	
Date:	Thursday, September 01, 2011	Sheet	25 of 59

AUX/DDC SW for DPC to E-DOCK



There is a new die for PI3C3125. Sample available on May.






AUX/DDC SW for DPD to E-DOCK



PROPRIETARY NOTE: THIS SHEET OF ENGINEERING DRAWING AND SPECIFICATIONS CONTAINS CONFIDENTIAL TRADE SECRET AND OTHER PROPRIETARY INFORMATION OF DELL INC. ("DELL") THIS DOCUMENT MAY NOT BE TRANSFERRED OR COPIED WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF DELL. IN ADDITION, NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT DELL'S EXPRESS WRITTEN CONSENT.

DELL CONFIDENTIAL/PROPRIETARY

Compal Electronics, Inc.			
Title	DP125		
Size	Document Number	Rev	
	LA-7731P	0.3	
Date:	Thursday, September 01, 2011	Sheet	26 of 59



PROPRIETARY NOTE: THIS SHEET OF ENGINEERING DRAWING AND SPECIFICATIONS CONTAINS CONFIDENTIAL TRADE SECRET AND OTHER PROPRIETARY INFORMATION OF DELL INC. ("DELL") THIS DOCUMENT MAY NOT BE TRANSFERRED OR COPIED WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF DELL. IN ADDITION, NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT DELL'S EXPRESS WRITTEN CONSENT.

DELL CONFIDENTIAL/PROPRIETARY

Compal Electronics, Inc.

HDD CONNECTOR

LA-7731P

Date: Thursday, September 01, 2011 Sheet 27 of 59

Title	HDD CONNECTOR		Rev	0.3
Size	Document Number			




PROPRIETARY NOTE: THIS SHEET OF ENGINEERING DRAWING AND SPECIFICATIONS CONTAINS CONFIDENTIAL TRADE SECRET AND OTHER PROPRIETARY INFORMATION OF DELL INC. ("DELL") THIS DOCUMENT MAY NOT BE TRANSFERRED OR COPIED WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF DELL. IN ADDITION, NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT DELL'S EXPRESS WRITTEN CONSENT.




DELL CONFIDENTIAL/PROPRIETARY			
Compal Electronics, Inc.			
Title		ODD CONNECTOR	
Size	Document Number	LA-7731P	Rev 0.3
Date:	Thursday, September 01, 2011	Sheet 28	of 59


Internal Speakers Header




ESD ask to add DE1,DE2





BCLK: Audio serial data bus bit clock input/output
LRCK: Audio serial data bus word clock input/output




Place closely to Pin 13.




Place closely to Pin 14



Notes:
Keep PVDD supply and speaker traces routed on the DGND plane.
Keep away from AGND and other analog signals





EMI request to add C984,C985




PORT A	External MIC
PORT B	HeadPhone Out
PORT C	Intel
PORT D	Internal SPK
PORT E	DOCK
PORT F	DOCK

Place C994, C952~C957 close to Codec



R1664, C1165, R1665
place close to Combo Jack



Resistor	SENSE_A	SENSE_B
39.2K	PORT A	PORT E
20K	PORT B	PORT F
10K	NA	DMIC0
5.11K	SPDIFOUT0	SPDIFOUT1 (DMIC1)
2.49K	Pull-up to AVDD	

PROPRIETARY NOTE: THIS SHEET OF ENGINEERING DRAWING AND SPECIFICATIONS CONTAINS CONFIDENTIAL TRADE SECRET AND OTHER PROPRIETARY INFORMATION OF DELL INC. ("DELL") THIS DOCUMENT MAY NOT BE TRANSFERRED OR COPIED WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF DELL. IN ADDITION, NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT DELL'S EXPRESS WRITTEN CONSENT.

DELL CONFIDENTIAL/PROPRIETARY




Compal Electronics, Inc.

Azalia (HD) Codec


umber
LA 7721D

Date: Thursday, September 01, 2011 Sheet 29 of 59

Date: Thursday, September 01, 2011 Sheet 29 of 59





Lid board



PROPRIETARY NOTE: THIS SHEET OF ENGINEERING DRAWING AND SPECIFICATIONS CONTAINS CONFIDENTIAL TRADE SECRET AND OTHER PROPRIETARY INFORMATION OF DELL INC. ("DELL") THIS DOCUMENT MAY NOT BE TRANSFERRED OR COPIED WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF DELL. IN ADDITION, NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT DELL'S EXPRESS WRITTEN CONSENT.




DELL CONFIDENTIAL/PROPRIETARY		
Compal Electronics, Inc.		
Title	PWR SW/Sub-board Connector	
Size	Document Number	Rev
	LA-7731P	0.3
Date:	Thursday, September 01, 2011	Sheet 30 of 59





Co-lay U37 and U39
LPC layout: Place TCM first and then end LPC with TPM.

China TCM: NationZ & Jetway co-lay




DELL CONFIDENTIAL/PROPRIETARY



Compal Electronics, Inc.

Title			
TPM/TCM			
Size	Document Number	Rev	
	LA-7731P	0.3	
Date	Thursday, September 01, 2011	Sheet	32 of 59

PROPRIETARY NOTE: THIS SHEET OF ENGINEERING DRAWING AND SPECIFICATIONS CONTAINS CONFIDENTIAL TRADE SECRET AND OTHER PROPRIETARY INFORMATION OF DELL INC. ("DELL") THIS DOCUMENT MAY NOT BE TRANSFERRED OR COPIED WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF DELL. IN ADDITION, NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT DELL'S EXPRESS WRITTEN CONSENT.



place close to pin U38.32



PROPRIETARY NOTE: THIS SHEET OF ENGINEERING DRAWING AND SPECIFICATIONS CONTAINS CONFIDENTIAL TRADE SECRET AND OTHER PROPRIETARY INFORMATION OF DELL INC. ("DELL"). THIS DOCUMENT MAY NOT BE TRANSFERRED OR COPIED WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF DELL. IN ADDITION, NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT DELL'S EXPRESS WRITTEN CONSENT.




DELL CONFIDENTIAL/PROPRIETARY

Compal Electronics, Inc.


Title			
Card Reader			
LA-7731P			
Date:	Thursday, September 01, 2011	Sheet	33 of 59

Rev 0.3


Power Control for Mini card1




Power Control for Mini card2



Power Control for Mini card3




Express Card PWR S/W



Note: Add connection on pin4, pin5, pin13 and pin14 to support GMT 2nd source part

Express Card Conn.



DELL CONFIDENTIAL/PROPRIETARY

Compal Electronics, Inc.

PCIE-SATA SW / PCIE PWR

LA-7731P



Thursday, September 01, 2011 Sheet 35 of 59

PROPRIETARY NOTE: THIS SHEET OF ENGINEERING DRAWING AND SPECIFICATIONS CONTAINS CONFIDENTIAL TRADE SECRET AND OTHER PROPRIETARY INFORMATION OF DELL INC. ("DELL"). THIS DOCUMENT MAY NOT BE TRANSFERRED OR COPIED WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF DELL. IN ADDITION, NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT DELL'S EXPRESS WRITTEN CONSENT.

ESATA Repeater

If use 412CD part only, de-pop R745, R751, pop R746
If use 412A part, de-pop R746, pop R745, R751

8@ U44
PS8513BTQFN20GTR-A0
SA00004WR00







Place D74 close to JESATA1

DELL CONFIDENTIAL/PROPRIETARY


Compal Electronics, Inc.

Title			
USB/ESATA/IO/MDC			
Size	Document Number		Rev
	LA-7731P		0.3
Date:	Thursday, September 01, 2011	Sheet 37 of 59	


PROPRIETARY NOTE: THIS SHEET OF ENGINEERING DRAWING AND SPECIFICATIONS CONTAINS CONFIDENTIAL TRADE SECRET AND OTHER PROPRIETARY INFORMATION OF DELL INC. ("DELL"). THIS DOCUMENT MAY NOT BE TRANSFERRED OR COPIED WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF DELL. IN ADDITION, NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT DELL'S EXPRESS WRITTEN CONSENT.



	VGA_ID0
Discrete	0
UMA	1



D12" does not support E-Module, ECE5048(U46) pin B7,A15,B15,A16,B32,A42,A49 not used, but do not assign GPIO for these pins.



PROPRIETARY NOTE: THIS SHEET OF ENGINEERING DRAWING AND SPECIFICATIONS CONTAINS CONFIDENTIAL TRADE SECRET AND OTHER PROPRIETARY INFORMATION OF DELL INC. ("DELL"). THIS DOCUMENT MAY NOT BE TRANSMITTED OR COPIED WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF DELL. IN ADDITION, NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT DELL'S EXPRESS WRITTEN CONSENT.




DELL CONFIDENTIAL/PROPRIETARY

Compel Electronics, Inc.

ECE5048

LA-7731P

Date: Thursday, September 01, 2011 Sheet 39 of 59



D12" does not support E-Module, MEC5055 (U51) pin A17,B36 not used, but do not assign GPIO for these pins.

BOARD_ID rise time is measured from 5%-68%.

DELL CONFIDENTIAL/PROPRIETARY



Compal Electronics, Inc.

File


MEC5055

LA-7731P









Date: Thursday, September 01, 2011

Size	Document Number	Rev
	MEC5055	0.3
	LA-7731P	
	Date: Thursday, September 01, 2011	Sheet 40 of 59

PROPRIETARY NOTE: THIS SHEET OF ENGINEERING DRAWING AND SPECIFICATIONS CONTAINS CONFIDENTIAL TRADE SECRET AND OTHER PROPRIETARY INFORMATION OF DELL. ("DELL") THIS DOCUMENT MAY NOT BE TRANSFERRED OR COPIED WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF DELL. IN ADDITION, NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT DELL'S EXPRESS WRITTEN CONSENT.



D37 ESD ask to change to SOT23-3



DELL CONFIDENTIAL/PROPRIETARY

Compal Electronics, Inc.


Touch PAD/Int KB/BT

LA-7731P


Date: Thursday, September 01, 2011 Sheet 41 of 59

PROPRIETARY NOTE: THIS SHEET OF ENGINEERING DRAWING AND SPECIFICATIONS CONTAINS CONFIDENTIAL TRADE SECRET AND OTHER PROPRIETARY INFORMATION OF DELL INC. ("DELL") THIS DOCUMENT MAY NOT BE TRANSFERRED OR COPIED WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF DELL. IN ADDITION, NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT DELL'S EXPRESS WRITTEN CONSENT.


+3.3V_ALW_PCH Source




+3.3V_SUS Source




+3.3V_M Source




Discharg Circuit




DC/DC Interface




+1.5V_RUN Source




+1.05V_RUN Source



+5V_RUN Source



+3.3V_RUN Source



DELL CONFIDENTIAL/PROPRIETARY







Compal Electronics, Inc.

POWER CONTROL




LA-7731P

Thursday, September 01, 2011 Sheet 42 of 59

PROPRIETARY NOTE: THIS SHEET OF ENGINEERING DRAWING AND SPECIFICATIONS CONTAINS CONFIDENTIAL TRADE SECRET AND OTHER PROPRIETARY INFORMATION OF DELL INC. ("DELL"). THIS DOCUMENT MAY NOT BE TRANSFERRED OR COPIED WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF DELL. IN ADDITION, NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT DELL'S EXPRESS WRITTEN CONSENT.



LED Circuit Control Table		
	SYS_LED_MASK#	LID_CL#
Mask All LEDs (Sniffer Function)	0	X
Mask Base MB LEDs (Lid Closed)	1	0
Do not Mask LEDs (Lid Opened)	1	1



PROPRIETARY NOTE: THIS SHEET OF ENGINEERING DRAWING AND SPECIFICATIONS CONTAINS CONFIDENTIAL TRADE SECRET AND OTHER PROPRIETARY INFORMATION OF DELL INC. ("DELL"). THIS DOCUMENT MAY NOT BE TRANSFERRED OR COPIED WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF DELL. IN ADDITION, NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT DELL'S EXPRESS WRITTEN CONSENT.



DELL CONFIDENTIAL/PROPRIETARY

Compal Electronics, Inc.

PAD and Standoff

LA-7731P

Date: Thursday, September 01, 2011 Sheet 43 of 59



DELL CONFIDENTIAL/PROPRIETARY


Compal Electronics, Inc.

Title		RJ45
Size	Document Number	LA-7731P
Date:	Thursday, September 01, 2011	Sheet 44 of 59


THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.



Rev 0.3



THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.



THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.



Compal Electronics, Inc.			
Title	+5V_ALW/3.3V_ALW		
Size	Document Number	Rev	
	LA-7731P	0.3	
Date:	Thursday, September 01, 2011	Sheet	47 of 59

+PWR_SRC

PJP200
@ PAD-OPEN 4x4m

1.5Volt +/- 5%
TDC 7.14A
Peak Current 10.2A
OCP current 12.24A
Rsd(on) : tpe 3.6 m
max 4.5 m

0.75Volt +/- 5%
TDC 0.525A
Peak Current 0.75A
OCP Current 0.9A

+1.5V_MEN_P

PL200
1UH_ETQP3W1R0WFN_11.8A_20%
PC208
330U_SX_2VY-D
@ PR203
4.7_1206_5%
0.1U_0803_25V7K-D
@ PC209

Mode	Level	+0.75V_P	+V_DDR_REF
S5	L	off	off
S3	L	off	on
S0	H	on	on

Note: S3 - sleep ; S5 - power off

+1.5V_MEN_P

PJP201
@ JUMP_1x3m
PJP202
@ JUMP_1x3m

+1.5V_MEM

+0.75V_P

PJP203
@ PAD-OPEN1x1m


+0.75V_DDR_VTT

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

DELL CONFIDENTIAL/PROPRIETARY

Compal Electronics, Inc.


Title			+1.5V_MEN/+0.75V_DDR_VTT
Size	Document Number	Rev	
LA-7731P			0.3
Date:	Thursday, September 01, 2011	Sheet	48 of 59



THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

DELL CONFIDENTIAL/PROPRIETARY

Compal Electronics, Inc.			
Title +1.8V_RUN			
Size	Document Number LA-7731P		Rev 0.3
Date:	Thursday, September 01, 2011	Sheet	49 of 59



DELL CONFIDENTIAL/PROPRIETARY

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

				Compal Electronics, Inc.			
Title				+1.05V_M			
Size	Document Number			LA-7731P			Rev 0.3
Date:	Thursday, September 01, 2011			Sheet	50	of	59

+3.3V_ALW

GND_VCCSA

+5V_ALW

+3.3V_RUN

The 1k PD on the VCCSA VIDs are empty.
These should be stuffed to ensure that
VCCSA VID is 00 prior to VCCIO stability.

VID [0]	VID[1]	VCCSA Vout
0	0	0.9V
0	1	0.8V
1	0	0.725V
1	1	0.675V

output voltage adjustable network

VCCSA
TDC 4.2A
Peak Current 6A
OCP current 7.2A

+VCCSA_P

GND_VCCSA

DELL CONFIDENTIAL/PROPRIETARY

Compal Electronics, Inc.

+VCC SA

Size Document Number
LA-7731P

Date: Thursday, September 01, 2011 Sheet 52 of 59


THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

**Compal Electronics, Inc.**


+VCC_CORE

LA-7731F

Rev	0.3
-----	-----




Adapter Protection Event			
	PR521	PR522	PR510
SW	0 Ohm	@	100k
HW	@	0 Ohm	@




Maximum charging current is 7.2A

	DYN_TUR_CURRENT_SET#
90W	High
130W	Low



Adapter Protection Circuit fot Turbo Mode



To preset system to throttle
switching from AC to DC

DELL CONFIDENTIAL/PROPRIETARY



Compal Electronics, Inc.


Charger

LA-7731P


Rev

Date: Thursday, September 01, 2011 Sheet 54 of 55


THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.



+VCC_CORE




+VCC_CORE



+VCC_CORE

+VCC_GFXCORE


+VCC_GFXCORE



Below is 458544_CRV_PDDG_0.5 Table 5-8.


Socket Bottom	5 x 22 μ F (0805) 5 x (0805) no-stuff sites
Socket Top	7 x 22 μ F (0805) 2 x (0805) no-stuff sites

+1.05V_RUN_VTT



+VCC_CORE

+VCC_CORE



DELL CONFIDENTIAL/PROPRIETARY



Compal Electronics, Inc.

PROCESSOR DECOUPLING

Title	LA-7731P	Rev	0.3
Size	Document Number		
Date	Thursday, September 01, 2011	Sheet	56 of 59

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Version Change List (P. I. R. List)

Page 1

Item	Page#	Title	Date	Request Owner	Issue Description	Solution Description	Rev.
1	48	+1.5V_MEN	8/16	Dell	Follow VC , enable use SIO_SLP_S4#.	Add PR210 for net "SIO_SLP_S4#"	X01
2	46	DCIN	8/16	Dell	ME design change.	PJPDC1 change from 7pin to 5pin	X01
3	47	+5V/3.3V	8/16	Dell	Main and 2nd IC common setting.	De-pop PD100,PR113,PR111	X01
4	53	Vcore/GFX core	8/16	Compal RF_team	Suppress WWAN BB noise.	Pop PC751,PR760,PC725,PR731, PC745,PR751(680pF 0603, 4.7 ohm 1206)	X01
5	50 51	+1.05VM/ +1.05VTT	8/16	Compal	COS concern, change from D2 Polymer cap to OScon cap	PC406, PC507	X01
6	53	Vcore/GFX core	8/16	Compal	Prevent output voltage glitch when power up.	PU700 VCCP and VDD change form +5V_RUN to +5V_ALW	X01
7	47, 53 , 54	Vcore, Charger +5V/3.3V	8/16	Compal RF_team	EMI solution.	Pop PL700.PL1300,PL100	X01
8	53	Vcore/GFX core	8/16	Compal	adjust OCP and DC load line.	PR740 change to 2.1k ohm, PR750 change to 392 ohm.	X01
9							X01
10							X01
11							X01
12							X01

DELL CONFIDENTIAL/PROPRIETARY

			Compal Electronics, Inc.	
Title PWR_PIR 1				
Size	Document Number LA-7731P			Rev 0.3
Date: Thursday, September 01, 2011 Sheet 57 of 59				

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Version Change List (P. I. R. List)

Item	Page#	Title	Date	Request Owner	Issue Description	Solution Description	Rev.
1	39, 40, 42	HW	7/14/2011	DELL	E4 uses SIO_SLP_S4# for power control	Add @R752, R753	X01
2	11	HW	7/14/2011	Compal	Change DDR channel A signal to DSL	Add CC149, CC152, CC178, CC179	X01
3	18	HW	7/26/2011	DELL	Follow GPIO map rev1.0	Change RH273 from 1k to 10k	X01
4	29	HW	7/26/2011	Compal	EMI request	Pop CE981, CE982, CE983	X01
5	35	HW	7/26/2011	Compal	Solve Express card PAID issue	Add R830	X01
6	7, 22	HW	7/27/2011	Compal	Solve ESD issue	Reserve D84, D85	X01
7	25	HW	7/27/2011	Compal	Layout routing	Swap HDMI trace connection on L19, L20, L21, L22 for layout routing	X01
8	29	HW	7/28/2011	Compal	EMI request	Add CE984, CE985	X01
9	7	HW	8/1/2011	Compal	EMI request	Reserve CC141	X01
10	17	HW	8/3/2011	Intel	Request from Intel review feedback	Pop RH332	X01
11	14, 39	HW	8/4/2011	SMSC	SMSC request to delete LPC_LDRQ0#	Leave LDRQ0# no connection on both of 5048 and PCH side	X01
12	20, 42	HW	8/4/2011	Compal	Vgs less than cut-in voltage in battery mode	Add QH6, RH279, CH107	X01
13	42	HW	8/4/2011	Compal	Load SW sources output rising time mismatch and COS. cost concern.	Change back to E3 +3.3V/5V RUN discrete solution. Add Q55, Q56, Q61, Q62, R933, R940, R1627, remove U78, R749, R747, C1199, C1198, C1197, C1196, change C761, C764 to 10uF	X01
14	10	HW	8/4/2011	Compal	Follow INTEL PDDG 0.8	De-pop RC140	X01
15	32	HW	8/4/2011	Compal	RESET_OUT# power sequence issue	Add R1653, 1M ohms pull down for USH_PWR_STATE# at M/B side	X01
16	40	HW	8/4/2011	COMPAL	Change board ID to X01	Change R875 to 130Kohms	X01
17	34	HW	8/4/2011	COMPAL	PCH GPIO52 need 8.2~10K pull up +3.3VS	Change R695 from 100K to 10Kohms	X01
18	23	HW	8/4/2011	COMPAL	CRT SW 2nd source TI, TS3V713 pin29 is VDD	Connect pin29 to +3.3V_RUN	X01
19	16	HW	8/4/2011	COMPAL	+1.05V_M turn off before APWROK de-assert	Add UH5 circuit for backup HW solution	X01
20	41	HW	8/4/2011	COMPAL	Reset IC threshold voltage issue	Change U4 to RT9801A (threshold adjustable)	X01
21	29	HW	8/4/2011	COMPAL	Co-lay 92HD93 with ALC290	Pop option for 92HD93/ALC290=>R1646/C1164; R1644/R1643; C965/R1642 Reserve for ALC290 only: C1204, C1205, R171, R1647, C1165, R1648 Reserve for 92HD93 only: R1645, C963	X01
22	29	HW	8/4/2011	COMPAL	Codec is change to 92HD93	Pop R162~R166 and de-pop U73	X01
23	40	HW	8/8/2011	COMPAL	Please depop VOL MUTE/UP/DOWN due to EC code enable internal PU resistors (3V_ALW)	De-pop R1169, R1197, R1118	X01
24	41	HW	8/8/2011	COMPAL	For debug purpose	Add R1624	X01
25	42	HW	8/8/2011	COMPAL	power suggestion	Change Q59 to A04728L	X01
26	43	HW	8/9/2011	COMPAL	Align with E4	Change LED6, LED7 power source from +3.3V_ALW to +5V_ALW	X01
27	14, 40	HW	8/10/2011	COMPAL	Crystal EA result	Change C741, C743 from 22p to 39p, CH2, CH3 from 15p to 18p, CH18, CH19 from 12p to 10p for crystal EA	X01
28	41	HW	08/11/2011	COMPAL	For RSMRST# debug	Reserve R1655 and pop R1623	X01
29	26	HW	08/11/2011	COMPAL	DPX_CA_DET voltage too low through dongle	Change U21 and U24 to SA000055G0L	X01
30	43	HW	08/11/2011	COMPAL	Tune white light LED brightness	Change R934, R938, R939, R949, R958, R957 and R955 to 2.2K ohm	X01

DELL CONFIDENTIAL/PROPRIETARY

				Compal Electronics, Inc.	
EE P.I.R (1/2)					
Size	Document Number				Rev
	LA-7731P				0.3
Date	Thursday, September 01, 2011				Sheet 58 of 59

PROPRIETARY NOTE: THIS SHEET OF ENGINEERING DRAWING AND SPECIFICATIONS CONTAINS CONFIDENTIAL TRADE SECRET AND OTHER PROPRIETARY INFORMATION OF DELL INC. ("DELL") THIS DOCUMENT MAY NOT BE TRANSFERRED OR COPIED WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF DELL. IN ADDITION, NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT DELL'S EXPRESS WRITTEN CONSENT.

Version Change List (P. I. R. List)

Item	Page#	Title	Date	Request Owner	Issue Description	Solution Description	Rev.
31	20, 22, 34 38, 39, 43	HW	8/11/2011	COMPAL	Cost saving	Change D2, D31, D32, D34, D59, D62, DH2, DH3, D65, D66, D67, D68, D69, D70 to SCS00002G00	X01
32	11	HW	8/12/2011	COMPAL	Solve S3 wake up issue	Pop RC79 and de-pop RC82	X01
33	36, 41	HW	8/14/2011	ME	ME change connector	Change JUSB1, JUSB2, JBT1	X01
34	30	HW	8/16/2011	ME	ME change connector	Change JLID1	X01
35	17, 32 39, 40	HW	8/18/2011	COMPAL	RF request	Pop R885, C747, R795, C713, RE5 and change CE3 to 12pF and pop it, and add CH109, CH110	X01
36	36	HW	8/19/2011	COMPAL	Follow Intel design guide	Change C410~C413 from 0.01uF to 0.1uF	X01
37	25	HW	8/24/2011	COMPAL	EMI request to solve HDMI issue	Add C1216~C1223	X01
38	7	HW	8/25/2011	COMPAL	ESD request	Change RC25 to 1k and pop CC141	X01
39	40	HW	8/26/2011	SMSC	SMSC request	Reserve R941, R942	X01
40	24, 33	HW	8/26/2011	EMI	EMI request to solve SD/DMIC issue	Reserve CE758, CE279, CE280	X01
41	43	HW	8/27/2011	ME	Solve standoff shift issue	Change H11, H24, H25 to 6mm	X01
42	43	HW	8/29/2011	COMPAL	Tune white light LED brightness	Change R934, R938, R939, R949, R958, R957 and R955 to 1.2K ohm	X01
42	14	HW	8/29/2011	ME	change TAA connector	Change JTAA1	X01

PROPRIETARY NOTE: THIS SHEET OF ENGINEERING DRAWING AND SPECIFICATIONS CONTAINS CONFIDENTIAL TRADE SECRET AND OTHER PROPRIETARY INFORMATION OF DELL INC. ("DELL") THIS DOCUMENT MAY NOT BE TRANSFERRED OR COPIED WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF DELL. IN ADDITION, NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT DELL'S EXPRESS WRITTEN CONSENT.



DELL CONFIDENTIAL/PROPRIETARY

Compal Electronics, Inc.

Title
EE P.I.R (2/2)

Size Document Number
LA-7731P

Date: Thursday, September 01, 2011 Sheet 59 of 59

Rev
0.3