

IALAA
Minnesota 10A/10AG
LA3631P REV 1A Schematic


AMD Turion, Sempron/ATI RX690/RS690MC / ATI SB600
2007-05-04 Rev. 1A

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2007/5/4	Deciphered Date	2008/5/4	Title Cover	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size B	Document Number IALAA-Minnesota10A LA3631P
				Date: Monday, May 14, 2007	Rev 1A
				Sheet 1	of 45

Compal confidential IALAA Minnesota10A FUNCTION BLOCK DIAGRAM

File Name : IALAA Minnesota10A LA3631P

P/N :



Security Classification	Compal Secret Data			Compal Electronics, Inc.	
Issued Date	2007/5/4	Deciphered Date	2008/5/4	Title Black Diagram	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size Document Number Customer IALAA-Minnesota10A LA3631P	Rev 1A
Date: Monday, May 14, 2007				Sheet	2 of 45

Voltage Rails

Power Plane	Description	S1	S3	S5
VIN	Adapter power supply (19V)	ON	ON	ON
B+	AC or battery power rail for power circuit.	ON	ON	ON
+RTCVCC	RTC power	ON	ON	ON
+VSB	B+ switched power rail	ON	ON	ON
+5VALW	5V always on power rail	ON	ON	ON
+3VALW	3.3V always on power rail	ON	ON	ON
+1.2VALW	1.2V always on power rail	ON	ON	ON
+1.8V	1.8V power rail	ON	ON	OFF
+0.9V	0.9V switched power rail	ON	ON	OFF
+5VS	5VS switched power rail	ON	OFF	OFF
+3VS	3.3VS switched power rail	ON	OFF	OFF
+2.5VS	2.5VS switched power rail	ON	OFF	OFF
+1.8VS	1.8VS switched power rail	ON	OFF	OFF
+1.5VS	1.5VS switched power rail	ON	OFF	OFF
+CPU_CORE	Core voltage for CPU	ON	OFF	OFF
+1.2V_HT	1.2VS switched power rail	ON	OFF	OFF

Note : ON* means that this power plane is ON only with AC power available, otherwise it is OFF.

External PCI Devices

Device	IDSEL#	REQ#GNT#	Interrupts
1394/ CardBus/ 5IN1	AD20	2/ 2	PIRQE/F/G

EC SM Bus1 address

Device	HEX	Address
Smart Battery	16H	0001 011X b
24C16	A0H	1010 000X b

EC SM Bus2 address

Device	HEX	Address
CPU Thermal-G781P8F	98H	1001 100X b
VGA Thermal-		

ATi SB600 SM Bus address

SM Bus0 address

Device	HEX	Address
Clock GEN. (ICS951462AGLFT)		
DDR DIMM0	A4	
DDR DIMM1	A6	
Mini Card-WLAN		
Mini Card-3G		
New Card		

SM Bus1 address



STATE \ SIGNAL	SLP_S3#	SLP_S5#	+VALW	+V	+VS	Clock
Full ON	HIGH	HIGH	ON	ON	ON	ON
S1(Power On Suspend)	HIGH	HIGH	ON	ON	ON	LOW
S3 (Suspend to RAM)	LOW	HIGH	ON	ON	OFF	OFF
S4 (Suspend to Disk)	LOW	LOW	ON	OFF	OFF	OFF
S5 (Soft OFF)	LOW	LOW	ON	OFF	OFF	OFF

ID Table for AD channel




Vcc	3.3V +/- 5%			
Ra	100K +/- 5%			
Board ID	Rb	VAD_BID min	VAD_BID typ	VAD_BID max
0	0	0 V	0 V	0 V
1	8.2K +/- 5%	0.216 V	0.250 V	0.289 V
2	18K +/- 5%	0.436 V	0.503 V	0.538 V
3	33K +/- 5%	0.712 V	0.819 V	0.875 V
4	56K +/- 5%	1.036 V	1.185 V	1.264 V
5	100K +/- 5%	1.453 V	1.650 V	1.759 V
6	200K +/- 5%	1.935 V	2.200 V	2.341 V
7	NC	2.500 V	3.300 V	3.300 V

BTN_ID	
0	
1	
2	
3	
4	
5	
6	
7	

BTO	BOM STURCTURE




HTT Interface




Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2007/5/4	Deciphered Date	2008/5/4	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				S1q1 HT I/F	
Size	Document Number	Rev		1A	
Custom	IALAA-Minnesota10A LA3631P	Date:		Monday, May 14, 2007	
Sheet		4		of 45	

Processor DDR2 Memory Interface



Security Classification		Compal Secret Data			
Issued Date	2007/5/4	Deciphered Date	2008/5/4	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				S1g1 DDRII I/F	
Size	Document Number			Rev	
Custom	IALAA-Minnesota10A LA3631P			1A	
Date:	Monday, May 14, 2007	Sheet	5	of 45	



VDDIO decoupling.

Under CPU Socket

180PF Qt'y follow the distance between CPU socket and DIMM0. <2.5inch>

review recommend for EMI

C: Change to NBO CAP

C183 4.7U_0805_10V4Z

C182 4.7U_0805_10V4Z

C162 4.7U_0805_10V4Z

C161 4.7U_0805_10V4Z

C652 220U_Y_4VM

Near Power Supply

C: Change to NBO CAP
C577
220U_Y_4VM




The schematic diagram illustrates a 10-bit DAC implemented using an R-2R ladder network. The circuit is powered by a +0.9V supply and ground (GND). The ladder network is composed of seven stages of resistors, labeled C556 through C562, which are connected in a series of 2R and R ratios. Each stage is buffered by an operational amplifier (U550 through U556) to maintain the precision of the ladder. The final output of the DAC is connected to a 10-bit ADC (U557) via a 10k resistor (R550). The ADC's output is then processed by a 10-bit DAC (U558) to produce the final digital output. The circuit is designed to provide a precise digital-to-analog conversion for a 10-bit input.

The diagram shows a multi-channel signal conditioning circuit. It consists of eight identical stages connected in series. Each stage contains a resistor (C140, C137, C133, C134, C130, C127, C147, C128) and a capacitor (4.7U_0805_10V4Z, 0.22U_0603_16V4Z, 1000P_0402_25V8J, 180P_0402_50V8J). The input is connected to the first stage, and the output of the last stage is connected to the input of the next stage.


Security Classification		Compal Secret Data		Compal Electronics, Inc. S1q1 PWR & GND	
Issued Date	2007/5/4	Deciphered Date	2008/5/4		
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number
				Custom	IALAA-Minnesota10A LA3631P Rev 1A
Date:		Monday, May 14, 2007		Sheet	7 of 45




Security Classification	Compal Secret Data			Title		
Issued Date	2007/5/4	Deciphered Date	2008/5/4	DDRII SO-DIMM 0		
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSMITTED TO THE CUSTOMER OR THE COMPETENT DIVISION OF THE CUSTOMER DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size Custom	Document Number IALAA-Minnesota10A LA3631P	Rev 1A
				Date:	Monday, May 14, 2007	Sheet 8 of 45








RS690		RS690 only	
PULL HIGH (internally pulled high)	DFT_GPIO0	DFT_GPIO1	DFT_GPIO[4:2]
Memory side port not available	Bypass the loading of EEPROM straps and use Hardware default values	These pin straps are used to configure PCI-E GPP mode: 111: register defined (register default to Config E) 110: 4-0-0-0 Config A 101: 4-4 Config B 100: 4-2-2 Config C 011: 4-2-1-1 Config D 010: 4-1-1-1 Config E others: register defined (register default to Config E)	Enable debug bus via the memory IO pads, if available in the package use default values
PULL LOW	Memory side port available	I2C Master can load strap values from EEPROM if connected, or use default values if not connected	use the memory data bus to output the debug bus




Security Classification		Compal Secret Data		Title	
Issued Date	2007/5/4	Deciphered Date	2008/5/4	RX690/RS690MC Power/GND	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size Custom	Document Number
				IALAA-Minnesota10A LA3631P	
				Date:	Monday, May 14, 2007
				Sheet	12 of 45

CRT CONNECTOR




TV-OUT CONNECTOR




Security Classification		Compal Secret Data		Compal Electronics, Inc.			
Issued Date		2007/5/4	Deciphered Date	2008/5/4	Title		
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.					TV-OUT, LVDS CONNECTOR		
					Size B	Document Number	Rev 1A
					IALAA-Minnesota10A	LA3631P	
Date:		Monday, May 14, 2007		Sheet 14 of 45			

VGA BOARD Conn.




LCD/PANEL BD. Conn.




A:Delete
VGA_SMB_DAT/CLK
bec'z delete
HDMI/1932 fun.


Security Classification		Compal Secret Data		Compal Electronics, Inc.		
Issued Date	2007/5/4	Deciphered Date	2008/5/4	Title		
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				CRT CONNECTOR		
				Size B	Document Number	Rev
				1ALA-Minnesota10A.LA3631P		1A
Date: Monday, May 14, 2007				Sheet	15 of 45	



Standard Straps



Debug Straps



	AC_SDOUT	PCI_CLK4<PCICLK4>	PCI_CLK6<PCICLK6>	PCI_CLK1<CLK_PCI_LAN>	PCI_CLK0<PCICLK0>
PULL HIGH	USE DEBUG STRAPS	USE INT. PLL48	CPU IF=AMD DEFAULT	ROM TYPE: H, H = Reserve H, L = LPC ROM L, H = SPI ROM L, L = FWH ROM	DEFAULT
PULL LOW	IGNORE DEBUG STRAPS<int'I PD> DEFAULT	USE EXT. 48MHZ DEFAULT	CPU IF=Intel		

	PCI_AD28	PCI_AD27	PCI_AD26	PCI_AD25	PCI_AD24	PCI_AD23<A11 only>
PULL HIGH	USE LONG RESET DEFAULT	USE PCI PLL DEFAULT	USE ACPI BCLK DEFAULT	USE IDE PLL DEFAULT	USE DEFAULT PCIE STRAPS DEFAULT	DISABLE BOOTFAIL TIMER DEFAULT
PULL LOW	USE SHORT RESET	BYPASS PCI PLL	BYPASS ACPI BCLK	BYPASS IDE PLL	USE EEPROM PCIE STRAPS	ENABLE BOOTFAIL TIMER

Un-Used Inputs Setting--GPIO pins

GPIO4/SMARTVOLT/SATA_IS2#	Config. GPIO to Output Mode.
GPIO5/SHUTDOWN#	Config. GPIO to Output Mode.
GPIO7/WD_PWRGD	Config. GPIO to Output Mode.
GPIO8/DDC1_SDA	Config. GPIO to Output Mode.
GPIO9/DDC1_SCL	Config. GPIO to Output Mode.
GPIO10/SATA_IS0#	Config. GPIO to Output Mode.
GPIO41/PCICLK7/SPDIF_OUT	Config. GPIO to Output Mode.
GPIO50/FANIN0	Config. GPIO to Output Mode.
GPIO51/FANIN1	Config. GPIO to Output Mode.
GPIO52/FANIN2	Config. GPIO to Output Mode.
GPIO53/VIN0	Config. GPIO to Output Mode.
GPIO54/VIN1	Config. GPIO to Output Mode.
GPIO55/VIN2	Config. GPIO to Output Mode.


Un-Used Inputs Setting--GPM pins

GPIO56/VIN3	Config. GPIO to Output Mode.
GPIO57/VIN4	Config. GPIO to Output Mode.
GPIO58/VIN5	Config. GPIO to Output Mode.
GPIO59/VIN6	Config. GPIO to Output Mode.
GPIO60/VIN7	Config. GPIO to Output Mode.
GPIO61/TEMPIN0	Config. GPIO to Output Mode.
GPOC2#/SCL1	Config. GPIO to Output Mode.
GPOC3#/SDA1	Config. GPIO to Output Mode.


Un-Used Inputs Setting--GPM pins

GPM5#/DDR3_RST#/USB_OC5#	Config. for internal PU.
GEVENT5#/S3_STATE	Config. for internal PU.




B:Remove HDMI transistor, SiI1932; and support by GPU only.




MP:Update HDMI Hot Plug DET circuit.




HDMI Connector




Security Classification	Compal Secret Data			Compal Electronics, Inc.		
Issued Date	2007/5/4	Deciphered Date	2008/5/4	Title		
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				SiI1392&HDMI Connector		
Size	Document Number	Date:		Monday, May 14, 2007	Sheet	20 of 45
Custom	IALAA-Minnesota10A LA3631P	Rev		1A		




SATA HDD Conn.



Security Classification	Compal Secret Data			Title	
Issued Date	2007/5/4	Deciphered Date	2008/5/4	HDD/CDROM	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size Custom	Document Number IALAA-Minnesota10A LA3631P
				Date: Monday, May 14, 2007	Sheet 21 of 45




CardBus Power Switch




Security Classification		Compal Secret Data		Compal Electronics, Inc.						
Issued Date		2007/5/4	Deciphered Date	2008/5/4	Title					
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.					TI PCI8412/CB socket					
					Size	Document Number	IALAA-Minnesota10A LA3631P	Rev	1A	
					Date:	Monday, May 14, 2007	Sheet	23	of	45


Mini-Express Card for 3G




Mini-Express Card for WLAN





Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2007/5/4	Deciphered Date	2008/5/4	MINI PCI SLOT	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size B	Document Number IALAA-Minnesota10A LA3631P
				Date: Monday, May 14, 2007	Sheet 24 of 45




HD Audio Codec




Sense Pin	Impedance	Codec Signals
SENSE A	39.2K	PORT-A (PIN 39, 41)
	20K	PORT-B (PIN 21, 22)
	10K	PORT-C (PIN 23, 24)
	5.1K	PORT-D (PIN 35, 36)
SENSE B	39.2K	PORT-E (PIN 14, 15)
	20K	PORT-F (PIN 16, 17)
	10K	PORT-G (PIN 43, 44)
	5.1K	PORT-H (PIN 45, 46)




Security Classification		Compal Secret Data		Compal Electronics, Inc.			
Issued Date	2007/5/4	Deciphered Date	2008/5/4	Title HD CODEC ALC861D			
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size B	Document Number IALAA-Minnesota10A LA3631P	Rev 1A	
				Date: Monday, May 14, 2007			Sheet 26 of 45



W=40mil




Gain	HP	0dB
	SPK	10dB



A:Set PCMCIA@ on CardBus Beep circuit
 B:Remove NSE_DPR circuit, bec'z chg. to KB926.

Volume Control


C:Chang PN to DEB00000600




Left Speaker Connector

A:sync up with ISKAE to replace L to R.


Right Speaker Connector



Microphone-In Jack






Headphone-Out Jack




Security Classification	Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2007/5/4	Deciphered Date	2008/5/4	Title
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				AMP&Audio Jack/MDC
Size B	Document Number	Date: Monday, May 14, 2007		Rev 1A
	Sheet 27	of 45		

MDC 1.5 Conn.




ODD CONN

Place Components closely to ODD Conn.




B: relink DC030006000.




Security Classification			Compal Secret Data		2007/5/4		2008/5/4		Compal Electronics, Inc.	
Issued Date			Deciphered Date		2007/5/4		2008/5/4		Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.			2007/5/4		2008/5/4		2008/5/4		TPM/ ODD CONNECTORS	
Size			Document Number		IALAA-Minnesota10A LA3631P		Rev		1A	
Date:			Monday, May 14, 2007		Sheet		28		of 45	


Int. Camera Conn




Fingerprint Conn




USB CONN. 1




USB CONN.2




CIR





BlueTooth Interface



USB Small Board




Security Classification	Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2007/5/4	Deciphered Date	2008/5/4	Title
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				USB Conn.
Size B	Document Number	Rev 1A		
Date:	Monday, May 14, 2007	Sheet	29 of 45	



SPI Flash (8Mb*1)


B:Chg. to SPI ROM.



C:Chg. PN to LTC00000200

Security Classification	Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2007/5/4	Deciphered Date	2008/5/4	Title
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				BIOS& I/O PORT
Size B	Document Number IALAA-Minnesota10A LA3631P			Rev 1A
Date:	Monday, May 14, 2007	Sheet	31 of 45	


SW/LED Connector




Power Button

For debug only


BTN



Remove SW1 from DVT for interfere issue.




Lid SW




AC IN LED


B:Chg. to link SC5191NB000



BATT CHARGE/FULL LED




WL&BT LED




3G LED

B:Chg. to link SC5191NB000




HDD LED


B:Chg. HDD LED control circuit bec'z chg. to KB926.




SUSPEND LED



POWER LED



Satellite LED



Security Classification	Compal Secret Data			Compal Electronics, Inc.	
Issued Date	2007/5/4	Deciphered Date	2008/5/4	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Comm. SW/ Sub Conn./LEDS	
				Size	Document Number
				Customer	LA3631P
				Date:	Monday, May 14, 2007
				Sheet	32 of 45
				Rev	1A

D



B



100





1



1

1


FAN Conn




EMI Shielding Clip PADS



Screw Hole




LPC Debug Port




Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2007/5/4	Deciphered Date	2008/5/4	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				FAN & MDC	
				Size	Document Number
				Customer	Rev 1A
				Date	Monday, May 14, 2007
				Sheet	34 of 45

+1.2VALW TO +1.2V_HT




+1.8V TO +1.8VS




B:Q18 and Q36, need to link "SB548000310"
C:Q14 and Q41, change part to reduce Rds(on) to improve PWR drop.
MP: Update R137 and R286 from 22K to 330K and C247 and C457 from 0.1U Y5V to 0.01U X7R to meet PWR SEQ, and update C180 and C385 to 25V to meet PWR request.

+3VALW TO +3VS




+5VALW TO +5VS




C:Chg. Q13, Q15, Q16, Q19, Q34, Q35, Q43, Q44 PN to SB770020010.

B:Add PD 100K bec'z KB926 is tri-state pin.

+3VALW TO +3V_SB




+3VALW TO +3V_LAN




B:Remove Energy Star 4.0 function.

C:Chg. PN to SB770020010.


+3VALW TO +3V_WLAN



+1.2VALW TO +1.2V_SB





B:Remove STB_12SB# control circuit and chagne control signl to STB_SB#






Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2007/5/4	Deciphered Date	2008/5/4	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				DC-DC INTERFACE	
Size B	Document Number IALAA-Minnesota10A LA3631P	Rev 1A		Date:	Monday, May 14, 2007
		Sheet	35	of	45

DC301001Q00




Vin Detector





High 18.384 17.901 17.430
Low 17.728 17.257 16.976




Precharge detector 15.97V/14.84V FOR ADAPTOR



Security Classification	Compal Secret Data			Compal Electronics, Inc.	
Issued Date	2007/5/4	Deciphered Date	2008/5/4	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number
				IALAA-Minnesota10A LA3631P	
				Date	Monday, May 14, 2007
				Sheet	36 of 45







75W Iadapter=0~3.947A PR49=0.02 ohm CP=3.71A PR66=10.7K
 90W Iadapter=0~4.737A PR49=0.015 ohm CP=4.459A PR66=19.6K
 120W Iadapter=0~6.315A PR49=0.010 ohm CP=5.936A PR66=19.6K PR69=4.53K


IREF=1.016*Icharge
IREF=0.508V~3.048V

CC=0.5~3A
CV=12.6V(6 CELLS LI-ION)


BATT Type	ALI/MH#	Charge Current	IREF
3 CELL	3.3V	1.5A	1.524V
6 CELL	3.3V	3.0A	3.048V
9 CELL	3.3V	3.0A	3.048V




LI-3S :13.5V----BATT-OVP=1.5V
LI-4S :18V----BATT-OVP=2V
BATT-OVP=0.111*BATT+




Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2007/5/4	Deciphered Date	2008/5/4	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				+5V/+3V	
Size	Document Number	IALAA-Minnesota10A LA3631P		Rev	1A
Date:	Tuesday, May 15, 2007	Sheet	39	of	45



Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2007/5/4	Deciphered Date	2008/5/4	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				1.8V / 1.2V	
Size	Document Number	IALAA-Minnesota10A LA3631P			Rev
Date:	Monday, May 14, 2007	Sheet	40	of	45



Security Classification		Compal Secret Data				Compal Electronics, Inc.										
Issued Date		2007/5/4		Deciphered Date		2008/5/4		Title								
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.								0.9V//1.5V/2.5V								
								Size		Document Number			IALAA-Minnesota10A LA3631P			Rev 1A
								Date:		Monday, May 14, 2007			Sheet		41 of 45	



Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2007/5/4	Deciphered Date	2008/5/4	Title	+CPU_CORE
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size Custom	Document Number IALAA-Minnesota10A LA3631P
Date: Monday, May 14, 2007				Sheet	42 of 45

POWER PIR LIST

	page	Reason for change	Modify list
DVT	37	Design change PF2 value	Change PF2 Fuse from 12A to 15A
	38	Design change PU4 schematic	Add PR117,PR118.
			Change value PC29,PC32,PR56,PR57,PQ18
			Remove PR232,PR233,PC173,PC105
	42	improve CPU-core ripple	Change PR214,PR222 from 100 to 10
			Change PC155,PC169 from 0.22u to 0.1u
			Change PR213 from 31.6K to 20K
		Add EMI soultion	Change PC150,PC153,PC168 from 680P to 220P
			Change boost resistors PR193,PR215 from 0 to 2.2
			Change low-side mosfet PQ43,PQ44,PQ48,PQ49 at CPU-core.
PVT	37	Design change PH1 temperature set value	Change PR36 from 22K to 15.4K
Pre-MP	37	Design change PH1 temperature set value	Change PR44 from 22K to 15.4K

HW4 Product Improvement Record (P.I.R.)

Phase: to		Date:			Writer:		
Page#	Action Plan (add; del; change)	Location or Net_List	Before value (Attached file)	After value (Attached file)	Detail Discretion and Root Cause	Rev.	DL/DM Check

01. 2007/2/12 P30

Rev 0.3 LA-3631P Implement items:

- 01. P06 Update THERMTRIP# control circuit, follow AMD request.
- 02. P07 Change C652 and C557 to SGN00000800
- 03. P08 Swap RP20 signals for DDR shielding.
- 04. P11,P13,P24 Set BOM Structure for UMA@, DVD@
- 05. ALL Change 2N7002 main source to SB770020010 for unit.
- 06. P27 Add D6, D3, ESD Diod for EMI, Chenge Encoder, SW6, PN to DEB00000600
- 07. 15 Unit Q1,Q3,Q52 w/ same part.
- 08. 24,P34 Change D31 and D28 to SC1BAS16000
- 09. P14 Add C13,C16,C21 with 22P for EMI.
- 10. P16 Change R436 and R437 to 120 Ohm to meet ADM request
- 11. P29 Remove R113, R117, R135 and R141 to leave chock for AMD platform
- 12. P28 Reserve C730-C736 by EMI request.
- 13. P21 Swap JP28 LED behaivor signals.
- 14. P28 Swap JP20 RX/TX Lanes sigals for Express Card cna't detect issue.

Rev 0.4 LA-3631P Implement items:

- 01. P24 Cut JP1.7 Pad for soldring issue.
- 02. P34 Change Q46 to SB934090000 for Fan can't meet Max. speed issue.


Rev 1.0 LA-3631P Implement items:

- 01. P22 Reserve C737, C738 for EMI solution
- 02. P6 Reserve R490 for PROCHOT funcation
- 03. P11 Add R488, R489 for LCD flash when boot issue

Rev 1A LA-3631P Implement items:

- 01. P22 Add R196 and C320 in BOM as EMI requirment.
- 02. P17 Add U35 and C740, reserve R1178 for LAN Leakage problem
- 03. P19 Change C647 to 22u for sequence and L59 to DCR is 0.40hm to meet AMD requirement.
- 04. P20 Change R431 and R430 to 24K; R1176 and R1177 to 19.2K, follow ATI ER.
- 05. P13 Change R369 from 330hm to 900hm Bead.
- 06. P30 ENE's recommend, change back C541 and C542 from 27P to 15P.
- 07. P06 Reserve pull up resistor R490 for H_PROCHOT#
- 08. P24/P29 Swap USB2+/- and USB8+/- for CAMERA problem.
- 09. P14/P20 Change D10 and D29 part to meet HDMI and CRT power requirment.
- 10. P20 Update HDMI Hot Plug DET circuit, to add U34, C739.

Security Classification		Compal Secret Data		Compal Electronics, Inc.		
Issued Date	2007/5/4	Deciphered Date	2008/5/4	Title		
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				PIR		Rev 1A
Size		Document Number			Date: Wednesday, May 16, 2007	
Sheet		44 of 45			1	



Security Classification	Compal Secret Data			Compal Electronics, Inc.		
Issued Date	2007/5/4	Deciphered Date	2008/5/4	Title		
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				PIR		
				Size	Document Number	Rev 1A
Date: Tuesday, May 15, 2007				Sheet	45 of 45	