

HAWAA

LA-3142PREV 1.0


Schematic

uFCPGA Yonah/ ATi-RC410MD(A12)/ ATi-SB450(A13)

2006-03-08 Rev. 1.0

Security Classification		Compal Secret Data		Title	
Issued Date	2005/11/01	Deciphered Date	2006/11/30	Compal Electronics, Inc.	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number
				Custom	401416
Date: 星期四, 7/月 03, 2006				Sheet	1 of 44
				Rev	B

HAWAA LA-3141 FUNCTION BLOCK DIAGRAM



Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2005/11/01	Deciphered Date	2006/11/30	Title	SCHEMATIC, M/B LA-3141P
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size Custom	Document Number 401416
				Date: 星期日, 八月 03, 2006	Rev B
				Sheet 2 of 44	

Voltage Rails

Power Plane	Description	S1	S3	S5
VIN	Adapter power supply (19V)	ON	ON	ON
B+	AC or battery power rail for power circuit.	ON	ON	ON
+CPU_CORE	Core voltage for CPU	ON	OFF	OFF
+CPUVID	1.2V switched power rail for CPU AGTL Bus	ON	OFF	OFF
+1.2VS	1.2VS for PCI-Express	ON	OFF	OFF
+0.9VS	0.9V switched power rail	ON	OFF	OFF
+1.5VS	Yonah	ON	OFF	OFF
+1.8VS	1.8VS switched power rail	ON	OFF	OFF
+1.8VALW	1.8V always on power rail	ON	ON	ON*
+1.8V	1.8V power rail	ON	ON	OFF
+3VALW	3.3V always on power rail	ON	ON	ON*
+3VS	3.3V switched power rail	ON	OFF	OFF
+5VALW	5V always on power rail	ON	ON	ON*
+5VS	5V switched power rail	ON	OFF	OFF
+RTCVCC	RTC power	ON	ON	ON

Note : ON* means that this power plane is ON only with AC power available, otherwise it is OFF.

External PCI Devices

Device	IDSEL#	REQ#GNT#	Interrupts
ENE 1410	AD20	2	PIRQB
LAN	AD22	1	PIRQG
1394	AD16	0	PIRQA

EC SM Bus1 address

Device	Address	Device	Address
Smart Battery	0001 011X b	ADM1032	1001 110X b

EC SM Bus2 address

SB450 SM Bus address

Device	Address
Clock Generator (ICS951413BGLFT)	1101 001Xb
DDRII DIMM0	1010 0100b A4
DDRII DIMM1	1010 0110b A6

STATE \ SIGNAL	SLP_S3#	SLP_S5#	+VALW	+V	+VS	Clock
Full ON	HIGH	HIGH	ON	ON	ON	ON
S1(Power On Suspend)	HIGH	HIGH	ON	ON	ON	LOW
S3 (Suspend to RAM)	LOW	HIGH	ON	ON	OFF	OFF
S4 (Suspend to Disk)	LOW	HIGH	ON	OFF	OFF	OFF
S5 (Soft OFF)	LOW	LOW	ON	OFF	OFF	OFF

Board ID Table for AD channel



Vcc	3.3V +/- 5%			
Ra/Rc	100K +/- 5%			
Board ID	Rb / Rd	VAD_BID min	VAD_BID typ	VAD_BID max
0	0	0 V	0 V	0 V
1	8.2K +/- 5%	0.216 V	0.250 V	0.289 V
2	18K +/- 5%	0.436 V	0.503 V	0.538 V
3	33K +/- 5%	0.712 V	0.819 V	0.875 V
4	56K +/- 5%	1.036 V	1.185 V	1.264 V
5	100K +/- 5%	1.453 V	1.650 V	1.759 V
6	200K +/- 5%	1.935 V	2.200 V	2.341 V
7	NC	2.500 V	3.300 V	3.300 V

Board ID	PCB Revision
0	0.1
1	0.2
2	
3	
4	
5	
6	
7	

SKU ID	PCB Revision
0	All
1	
2	
3	
4	JP
5	
6	
7	

BTN ID	BTN Status
0	1 Buttons
1	
2	
3	
4	6 Buttons
5	
6	
7	


BTO Function	BOM structure
1394	1394@
Wireless LAN	WLAN@
TV-OUT	TVOUT@
TPM	TPM@





H_THERMDA, H_THERMDC routing together.
Trace width / Spacing = 10 / 10 mil


For B-0 stepping engineering samples (ES) of Celeron M processor need to pop this 51 ohm resistor.

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2005/11/01	Deciphered Date	2006/11/30	Title	SCHEMATIC, M/B LA-3141P
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size Custom	Document Number 401416
				Rev B	
				Date: 星期四, 八月 03, 2006	Sheet 4 of 44




CPU_BSEL	CPU_BSEL0	CPU_BSEL1	CPU_BSEL2
133	0	0	1
166	0	1	1







Near VCORE regulator.








ESR <= 1.5m ohm
Capacitor > 1980uF



Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2005/11/01	Deciphered Date	2006/11/30	Title	SCHEMATIC, M/B LA-3141P
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number
				Custom	401416
				Date:	Rev B
				星期四, 7/月 03, 2006	Sheet 6 of 44









Layout Note:
Place near JDIM1

Layout Note:
Place one cap close to every 2 pullup
resistors terminated to V_DDR_MCH_REF

Layout Note:
Every four parallel termination resistors with two caps,
one is connected to ground, the other one is connected
between +1.8V and +0.9VS. Need to place each parallel
resistor with one cap to GND and one cap between
+1.8V and +0.9VS



Layout Note:
Place near JDIM1




DIMMB
Reverse

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2005/11/01	Deciphered Date	2006/11/30	Title	SCHEMATIC, M/B LA-3141P
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number
				Custom	401416
				Rev	B
				Date:	星期四, 八月 03, 2006
				Sheet	11 of 44


Clock Generator

- 1- PLACE ALL THE SERIES TERMINATION RESISTORS AS CLOSE TO CLOCK GEN AS POSSIBLE
- 2- ROUTE ALL CPUCLK#/, NBCLK#/, ITPCLK#/, AND SCR#/ AS DIFFERENT PAIR RULE
- 3- PUT DECOUPLING CAPS CLOSE TO CLOCK GEN POWERPIN




TV-OUT CONNECTOR


Reduce LUMA_1 and CRMA_1 length
As short as possible



LCD/PANEL BD. Conn.




PANEL +LCDVDD CTRL CKT





Security Classification	Compal Secret Data			Compal Electronics, Inc.	
Issued Date	2005/11/01	Deciphered Date	2006/11/30	Title	SCHEMATIC, M/B LA-3141P
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number
				Cuspm	401416
				Date:	星期日, 7月 03, 2006
				Sheet	13 of 44


CRT CONNECTOR




Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2005/11/01	Deciphered Date	2006/11/30	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number
				Cuspm	401416
				Date:	星期四, 八月 03, 2006
				Sheet	14 of 44
				Rev	B








Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date		2005/11/01	Deciphered Date	2006/11/30	Title
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				SCHEMATIC, M/B LA-3141P	
Size		Document Number		Rev	
Custom		401416		B	
Date:		星期四, 八月 03, 2006		Sheet 18 of 44	



REQUIRED STRAPS






	AUTO_ON#	AC97_SDOUT	RTC_CLK	SPDIF_OUT	CLK_PCI3	CLK_PCI4	CLK_PCI5	PCI_CLK6	PCI_CLK7	PCI_CLK8	LFRAME#	CLK_PCI2
PULL HIGH	MANUAL PWR ON DEFAULT	USE DEBUG STRAPS	INTERNAL RTC DEFAULT	PU for 48Mhz XTAL mode	USB PHY PWRDOWN DISABLE DEFAULT	Internal PLL	PCIE AUTO detect DEFAULT	CPU I/F = K8	ROM TYPE H,H = PCI ROM H,L = LPC ROM I		THERMTRIP# ENABLE DEFAULT	Crystal Pad
PULL LOW	AUTO PWR ON	IGNORE DEBUG STRAPS DEFAULT	EXTERNAL RTC (NOT SUPPORTED W/ IT8712)	48M OSC mode DEFAULT	USB PHY PWRDOWN ENABLE	External Clock DEFAULT	Forcing PCIE to 2 lanes (debug only)	CPU I/F = P4 DEFAULT	L,L = LPC ROM II L,L = FWH ROM		THERMTRIP# DISABLE	Clock input buffer DEFAULT




DEBUG STRAPS

	IDE_PDDACK#	PCI_AD31	PCI_AD30	PCI_AD29	PCI_AD28	PCI_AD27	PCI_AD26	PCI_AD25	PCI_AD24	PCI_AD23
PULL HIGH	USE LONG RESET DEFAULT	Reserved	Reserved	Reserved	Reserved	BYPASS PCI PLL	BYPASS ACPI BCLK	BYPASS IDE PLL	USE EEPROM PCIE STRAPS	Reserved
PULL LOW	USE SHORT RESET					USE PCI PLL DEFAULT	USE ACPI BCLK DEFAULT	USE IDE PLL DEFAULT	USE DEFAULT PCIE STRAPS	







CardBus Socket




<21> S1_A[0..25] S1_A[0..25]



<21> S1_D[0..15] S1_D[0..15]




Security Classification	Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2005/11/01	Deciphered Date	2006/11/30	Title
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				SCHEMATIC, M/B LA-3141P
Size				Document Number
Cusom				401416
Date:				Rev B
星期日, 八月 03, 2006				Sheet 22 of 44




Mini-Express Card



Kill SWITCH




Port 80 Debug Card Connector




Security Classification	Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2005/11/01	Deciphered Date	2006/11/30	Title
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.			SCHEMATIC, M/B LA-3141P	
			Size	Document Number
			Custom	401416
			Date:	Rev B
			星期四, 八月 03, 2006	Sheet 23 of 44

EC Bleep





CardBus Bleep


PCI Bleep




HD Audio Codec




Analog Reference V




	Pin 13 filter		Pin 34 filter		Pin 40 Reference
	R813	C946	R775	C897	R707
ACL861 ver C	47 ohm	1000p F	47 ohm	1000p F	5.1K_1% ohm
ACL861 ver D	0 ohm	NC	0 ohm	NC	20K_1% ohm
ACL883	0 ohm	NC	0 ohm	NC	20K_1% ohm






2 port in right side




USB CONN. 1





Place on the left side


USB CONN.2




Place on the rear side



Security Classification	Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2005/11/01	Deciphered Date	2006/11/30	Title
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.			SCHEMATIC, M/B LA-3141P	
			Size	Rev
			Document Number	8
			Custom	
			401416	
			Date:	Rev
			星期日, 八月 03, 2006	8
			Sheet	
			27	
			of	
			44	





PWR BTN/B





EC_PLAYBTN#	C874	100P_0402_25V8K
EC_STOPBTN#	C875	100P_0402_25V8K
EC_FRDBTN#	C876	100P_0402_25V8K
EC_REVBTN#	C877	100P_0402_25V8K
KSO17	C878	100P_0402_25V8K
INBTN#	C879	100P_0402_25V8K
PWR_LED0#	C880	100P_0402_25V8K
PWR_SUSPLED0#	C881	100P_0402_25V8K
Mode_Key	C882	100P_0402_25V8K
BTN_ID	C883	120P_0402_25V8K
ON/OFFBTN#	C884	120P_0402_25V8K


HDD LED




Vivace Button




Power LED




Wireless Lan LED




AC-IN LED




Battery LED



Security Classification	Compal Secret Data			Compal Electronics, Inc.	
Issued Date	2005/11/01	Deciphered Date	2006/11/30	Title	SCHEMATIC, M/B LA-3141P
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number
				Custom	401416
				Date:	星期日, 7/月 03, 2006
				Sheet	30 of 44


[illegible]

Connector for MDC Rev1.5





Security Classification		Compal Secret Data		Compal Electronics, Inc. SCHEMATIC, M/B LA-3141P	
Issued Date	2005/11/01	Deciphered Date	2006/11/30	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Rev
				Document Number	B
				Custom	
Date: 星期四, 八月 03, 2006				Sheet	32 of 44



+1.8VALW TO +1.8VS







+5VALW TO +5VS





+1.8VALW TO +1.8V










+3VALW TO +3VS



Security Classification	Compal Secret Data			Compal Electronics, Inc.		
Issued Date	2005/11/01	Deciphered Date	2006/11/30	SCHEMATIC, M/B LA-3141P		
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number	Rev
				Cuspm	401416	B
				Date:	星期四, 八月 03, 2006	Sheet 33 of 44





Vin Detector
 High 18.384 17.901 17.430
 Low 17.728 17.257 16.976





Precharge detector
 15.97V/14.84V FOR
 ADAPTOR

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2005/06/23	Deciphered Date	2006/10/22	Title	SCHEMATIC, M/B LA-3141P
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size B	Document Number 401416
				Date: 星期四, 八月 03, 2006	Sheet 34 of 44

PH1 under CPU botten side :
CPU thermal protection at 84 degree C
Recovery at 45 degree C




PH2 near main Battery CONN :
BAT. thermal protection at 79 degree C
Recovery at 45 degree C



Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2005/06/23	Deciphered Date	2006/10/22	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				SCHEMATIC, M/B LA-3141P	
Size B	Document Number			401416	Rev B
Date:	星期四, 八月 03, 2006			Sheet	35 of 44

I_{adp}=0~3.125A




IREF=1.07*I_{charge}
IREF=0.524V>3.144V

OVP voltage : LI
3S2P : 13.5V--> BATT_OVP= 1.5V
4S1P/4S2P : 18V--> BATT_OVP= 2V
(BAT_OVP=0.1111 *VMB)

CC=0.5~3.0A
CV=12.6V(6 CELLS LI-ION)
CV=16.8V(4/8 CELLS LI-ION)


BATT Type	ALI/MH#	Charge Current	IREF
8 CELL	0V	3A	3.144V
6 CELL	3.3V	3A	3.144V
4 CELL	0V	1.5A	1.572V

+3.3VALWP/+5VALWP






Security Classification		Compal Secret Data		Compal Electronics, Inc. SCHEMATIC, M/B LA-3141P			
Issued Date	2005/06/23	Deciphered Date	2006/10/22				
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number	Rev	
				Cuspm	401416	B	
				Date:	星期四, 八月 03, 2006	Sheet 37 of 44	

+1.8V





+1.2V

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2005/06/23	Deciphered Date	2006/10/22	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				SCHEMATIC, M/B LA-3141P	
Size	Document Number	Rev			
Custom	401416	8			
Date:	星期日, 八月 03, 2006	Sheet	38	of	44



Security Classification		Compal Secret Data		Compal Electronics, Inc.			
Issued Date		2005/06/23		Deciphered Date		2006/10/22	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Title			
				SCHEMATIC, M/B LA-3141P			
Size		Document Number		Rev		B	
Custom		401416					
Date:		2006/03/03		Sheet		39 of 44	






THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.		agere systems
123		
Design Engineer: C. Russo		
Title		
SCHEMATIC, M/B LA-3141P		
Size	Document Number	Rev
B	401416	B
Date:	星期四, 八月 03, 2006	Sheet 41 of 44

Locate C11, C12^{<41>} as close to digital device as possible.



FUSE Note:
The UL standard UL 1950 dictates the use of a fuse (needed to pass the M1, 600 V, 40A, 1.5 sec) to prevent component flaming during the overvoltage test. Unless one can insure that the modem is in a fire enclosure and provide 26 gauge line cord (acts as a fuse), a fusing element would be required.

Alternatively, if a TNV-1 flame resistant material is used, either as a wrap or cover over the DAA portion of the modem, this could satisfy both overvoltage protection and the separation requirement also contained in UL 1950. This latter requirement provides isolation such that unearthed parts of the DAA cannot be touched by a test finger or test probe.

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.		
123		
Design Engineer: R. Trevino		
Title		
SCHEMATIC, M/B LA-3141P		
Size	Document Number	Rev
B	401416	B
Date:	星期四, 八月 03, 2006	Sheet 42 of 44

POWER PIR LIST

page

Reason for change

Modify list

PVT

37	Change 3V/5V OCP point and choke	Change PR76,PR77 to 200K; PR79,PR80 to 340K; PL4,PL5 to 4.7U
40	For EMI request to reduce CPU power board band	Add snuber PR137,PR146(4.7ohm), PC108,PC117(680p)

Security Classification		Compal Secret Data		Title	
Issued Date		2005/06/23	Deciphered Date	2006/10/22	SCHEMATIC, M/B LA-3141P
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.		Size Custom		Document Number 401416	
Date:		星期四, 八月 03, 2006		Sheet 44 of 44	Rev B