

Compal Confidential

NAWF2 M/B Schematics Document

Intel Penryn Processor with Cantiga + DDRIII + ICH9M+M92-S2 XT


2009-09-17

REV:1.0

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/07/01	Deciphered Date	2010/07/01	Title	SCHEMATIC,MB A4853
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Rev	
				Document Number	401817
Date: Monday, September 28, 2009				Sheet	1 of 53

Compal Confidential

Model Name : NAWF2
File Name : LA-4853P
P/N : DA60000FI00
P/N : DA60000FI10



RTC CKT.
page 26

Power On/Off CKT.
page 37

DC/DC Interface CKT.
page 40

Power Circuit DC/DC
page 41, 42, 43, 44
45, 46, 47, 48, 49

LS-4851P
POWER/B Conn.
page 36

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/07/01	Deciphered Date	2010/07/01	Title	SCHEMATIC, MB A4853
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	401817
				Date	Monday, September 28, 2009
				Sheet	2 of 53
				Rev	A

Voltage Rails

Power Plane	Description	S1	S3	S5
VIN	Adapter power supply (19V)	N/A	N/A	N/A
B+	AC or battery power rail for power circuit.	N/A	N/A	N/A
+CPU_CORE	Core voltage for CPU	ON	OFF	OFF
+0.75VS	0.75V switched power rail for DDR terminator	ON	OFF	OFF
+1.05VS	1.05V switched power rail	ON	OFF	OFF
+1.1VS	1.1V switched power rail	ON	OFF	OFF
+1.5V	1.5V power rail for DDR	ON	ON	OFF
+1.5VS	1.5V switched power rail	ON	OFF	OFF
+1.8V	1.8V power rail for GMCH LVDS	ON	ON	OFF
+1.8VS	1.8V switched power rail	ON	OFF	OFF
+2.5VS	2.5V switched power rail	ON	OFF	OFF
+3VALW	3.3V always on power rail	ON	ON	ON*
+3V	3.3V power rail for SB	ON	ON	OFF
+3V_LAN	3.3V power rail for LAN	ON	ON	ON
+3VS	3.3V switched power rail	ON	OFF	OFF
+5VALW	5V always on power rail	ON	ON	ON*
+5VS	5V switched power rail	ON	OFF	OFF
+VSB	VSb always on power rail	ON	ON	ON*
+RTCVCC	RTC power	ON	ON	ON
+VGA_CORE	Core voltage for GPU	ON	OFF	OFF

Note : ON* means that this power plane is ON only with AC power available, otherwise it is OFF.

External PCI Devices

Device	IDSEL#	REQ#/GNT#	Interrupts
--------	--------	-----------	------------

EC SM Bus1 address

Device	Address	Device	Address
Smart Battery	0001 011X b	EMC 1402-1	1001 100X b
EEPROM(24C16/02)	1010 000X b	GMT G781-1	1001 101X b

EC SM Bus2 address

ICH9M SM Bus address

Device	Address
Clock Generator (ICS9LPRS387, SLG8SP556V)	1101 001Xb
DDR DIMM0	1001 000Xb
DDR DIMM2	1001 010Xb

STATE	SIGNAL	SLP_S1#	SLP_S3#	SLP_S4#	SLP_S5#	+VALW	+V	+VS	Clock
Full ON		HIGH	HIGH	HIGH	HIGH	ON	ON	ON	ON
S1(Power On Suspend)		LOW	HIGH	HIGH	HIGH	ON	ON	ON	LOW
S3 (Suspend to RAM)		LOW	LOW	HIGH	HIGH	ON	ON	OFF	OFF
S4 (Suspend to Disk)		LOW	LOW	LOW	HIGH	ON	OFF	OFF	OFF
S5 (Soft OFF)		LOW	LOW	LOW	LOW	ON	OFF	OFF	OFF

Board ID / SKU ID Table for AD channel

Vcc	3.3V +/- 5%			
Ra/Rc/Re	100K +/- 5%			
Board ID	Rb / Rd / Rf	VAD_BID min	VAD_BID typ	VAD_BID max
0	0	0 V	0 V	0 V
1	8.2K +/- 5%	0.216 V	0.250 V	0.289 V
2	18K +/- 5%	0.436 V	0.503 V	0.538 V
3	33K +/- 5%	0.712 V	0.819 V	0.875 V
4				
5				
6				
7				

BOARD ID Table

Board ID	PCB Revision
0	
1	0.1(PVT2)
2	1.0(Pre-MP)
3	
4	
5	
6	
7	

BTO Option Table

BTO Item	BOM Structure
GM45	GM@
8132	8132@

PCIE table

PCIE port1	
PCIE port2	Wireless Card
PCIE port3	PCIE LAN
PCIE port4	
PCIE port5	
PCIE port6	

SATA table

SATA port0	HDD
SATA port1	ODD
SATA port2	
SATA port3	
SATA port4	
SATA port5	




USB table

EHCI1	UHCI1	Port0	MB USB Conn.
		Port1	
	UHCI2	Port2	
		Port3	CMOS Camera
EHCI2	UHCI3	Port4	Card Reader
		Port5	
		Port6	MB USB Conn.
	UHCI4	Port7	
	UHCI5	Port8	
		Port9	
	UHCI6	Port10	Wireless Card
		Port11	

Security Classification	Compal Secret Data				Compal Electronics, Inc.		
Issued Date	2009/07/01	Deciphered Date	2010/07/01		Title	SCHEMATIC,MB A4853	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.					Rev	Document Number	Rev
					7B	401817	A
					Date:	Monday, September 28, 2009	Sheet 3 of 53

<7> H_A# [3..35] H_A# [3..35]
 <7> H_REQ# [0..4] H_REQ# [0..4]
 <7> H_RS# [0..2] H_RS# [0..2]


FAN1 Conn






Classification		Compal Secret Data				Compal Electronics, Inc.			
Issued Date		2009/01/21		Deciphered Date		2010/01/21		Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.								SCHEMATIC,MB A4853	
								Size B	Document Number
								401817	
								Date	Mnndav, September 28, 2009
		Sheet	4	of	53				

Layout Note:
 H_THERMDA&H_THERMDC Trace / Space = 10 / 10 mil

BSEL2	BSEL1	BSEL0	BCLK
0	0	0	266
0	1	0	200
0	1	1	166









Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/07/01	Deciphered Date	2010/07/01	Title	SCHEMATIC,MB A4853
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size B	Document Number 401817
				Date: Monday, September 28, 2009	Sheet 7 of 53

All RSVD balls on GMCH should be left No Connect.





Strap Pin Table


CFG[2:0]	011 = FSB667 010 = FSB800 000 = FSB1067
CFG5	0 = DMI x 2 1 = DMI x 4 * (Default)
CFG6	0 = iTPM Host Interface is enabled 1 = iTPM Host Interface is Disabled * (Default)
CFG9	0 = Lane Reversal Enable 1 = Normal Operation * (Default)
CFG10	0 = PCIe Loopback Enable 1 = Disable * (Default)
CFG[13:12]	00 = Reserved 01 = XOR Mode Enabled 10 = All Z Mode Enabled 11 = Normal Operation * (Default)
CFG16	0 = Dynamic ODT Disabled 1 = Dynamic ODT Enabled * (Default)
CFG19	0 = Normal Operation * (Default) 1 = DMI Lane Reversal Enable
CFG20 (PCIe/SDVO select)	0 = Only PCIe or SDVO is operational. (Default) 1 = PCIe/SDVO are operating simu.
SDVO_CTRLDATA	0 = No SDVO Card Present * (Default) 1 = SDVO Card Present
L_DDC_DATA	0 = LFP Disable * (Default) 1 = LFP Card Present; PCIe disable
DDPC_CTRLDATA	0 = Digital DisplayPort Disable * (Default) 1 = Digital DisplayPort Device Present



Security Classification				Compal Secret Data				Compal Electronics, Inc.			
Issued Date				2009/07/01				Title			
				Deciphered Date				SCHEMATIC, MB A4853			
				2010/07/01				Document Number			
								401817			
								Rev A			
								Date: Monday, September 28, 2009			
								Sheet 8 of 53			





GM@ CANTIGA ES_FCBGA1329





GM@ CANTIGA ES_FCBGA1329

Security Classification		Compal Secret Data				Compal Electronics, Inc.					
Issued Date		2009/07/01		Deciphered Date		2010/07/01		Title		SCHEMATIC,MB A4853	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.						Size B		Document Number		Rev A	
						401817					
						Date: Monday, September 28, 2009		Sheet 9 of 53			




Security Classification		Compal Secret Data				Compal Electronics, Inc.					
Issued Date		2009/07/01		Deciphered Date		2010/07/01		Title			
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.						SCHEMATIC,MB A4853					
						Size		Document Number		Rev	
						401817				A	
Date:						Monday, September 28, 2009		Sheet 10 of 53			









Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/07/01	Deciphered Date	2010/07/01	Title	SCHEMATIC,MB A4853
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Customer Document Number	Rev A
				401817	
Date				Monday, September 28, 2009	Sheet 12 of 53




DIMM0 REV H:5.2mm (BOT)

Security Classification		Compal Secret Data				Compal Electronics, Inc.					
Issued Date		2009/07/01		Deciphered Date		2010/07/01		Title		SCHEMATIC,MB A4853	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.								Size	Document Number		Rev
									401817		A
								Date	Monday, September 28, 2009		Sheet 14 of 53









VGA_PWRSEL_0	VGA_PWRSEL_1	+VGA_CORE
0	0	1.2V
0	1	1.1V
1	0	0.95V
1	1	0.9V





MAA[12..0] → MAA[12..0] <21>
BA[2..0] → BA[2..0] <21>
<21> MDA[63..0] ↔ MDA[63..0]

U30C




Security Classification	Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/07/01	Deciphered Date	2010/07/01	Title
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF RESEARCH AND DEVELOPMENT DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number 401817
Date: Monday, September 28, 2009				Rev A
Sheet 19 of 53				








STRAPS



VSYNC_DAC1 and HSYNC_DAC1
pull up to HDMI & DISPLAYPORT
AUDIO function



VGA Thermal Sensor



VRAM_ID0=VRAM_ID0_0
VRAM_ID1=VRAM_ID1_1
VRAM_ID2=VRAM_ID2_2
VRAM_ID3=VRAM_ID3_3

STRAPS	PIN	GPU	Project	VRAM size	Vendor Part Number#	Compal Part Number#	VRAM_ID 3,2,1,0
VRAM_ID[3:0]	DVPDATA (3,2,1,0)	M92 S2-XT		256MB(x4)	Hynix 32Mx16 1.8V	SA00002DL10	1 0 0 0
				512MB(x4)	Hynix 64Mx16 1.8V	SA00002UH20	0 0 0 1
				512MB(x4)	ATI 64Mx16 1.8V	SA00003LT10	0 0 1 0
				512MB(x4)	Samsung 64Mx16 1.8V (E-die)	SA000031O10	0 1 0 0

CONFIGURATION STRAPS

ALLOW FOR PULLUP PADS FOR THESE STRAPS AND IF THESE GPIOs ARE USED,
THEY MUST NOT CONFLICT DURING RESET

STRAPS	PIN	DESCRIPTION OF DEFAULT SETTINGS	RECOMMENDED SETTINGS
TX_PWRS_ENB	GPIO0	PCIE FULL TX OUTPUT SWING	1
TX_DEEMPH_EN	GPIO1	PCIE TRANSMITTER DE-EMPHASIS ENABLED	1
BIF_GEN2_EN_A	GPIO2	PCIE GNE2 ENABLED	1
BIF_CLK_PM_EN	GPIO8	BIF_CLK_PM_EN	0
BIF_VGA_DIS	GPIO9	VGA ENABLED	0
BIF_RX_PLL_CALIB_BP	GPIO21		0
BIOS_ROM_EN	GPIO_22_ROMCSB		1
ROMIDCFG(2:0)	GPIO[13:11]	BIF_RX_PLL_CALIB_BP	0 0 1
VIP_DEVICE_STRAP_ENA	V2SYNC	ENABLE EXTERNAL BIOS ROM	0
SMS_EN_HARD	H2SYNC	SERIAL ROM TYPE OR MEMORY APERTURE SIZE SELECT	0
CCBPASS	GENERICC	IGNORE VIP DEVICE STRAPS	0
AUD[1]	HSYNC	AUD[1] AUD[0] 0 0 No audio function 0 1 Audio for DisplayPort and HDMI if dongle is detected 1 0 Audio for DisplayPort only 1 1 Audio for both DisplayPort and HDMI	X X
AUD[0]	VSYNC		

AMD RESERVED CONFIGURATION STRAPS

ALLOW FOR PULLUP PADS FOR THESE STRAPS AND IF THESE GPIOs ARE USED,
THEY MUST NOT CONFLICT DURING RESET


H2SYNC GENERICC

PULLUP PADS ARE NOT REQUIRED FOR THESE STRAPS BUT IF THESE GPIOs ARE USED,
THEY MUST NOT CONFLICT DURING RESET


GPIO_28_TDO GPIO21_BB_EN

Security Classification	Compal Secret Data			Compal Electronics, Inc.		
Issued Date	2009/07/01	Deciphered Date	2010/07/01	Title	SCHEMATIC,MB A4853	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	401817	Rev A
				Date	Monday, September 28, 2009	Sheet 22 of 53

LCD POWER CIRCUIT




LCD/PANEL BD. Conn.





Security Classification		Compal Secret Data				Compal Electronics, Inc.									
Issued Date		2009/07/01		Deciphered Date		2010/07/01		Title							
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.								SCHEMATIC,MB A4853							
								Rev		Document Number				Rev A	
								Date:		Monday, September 28, 2009		Sheet		23 of 53	



CRT Connector




Security Classification	Compal Secret Data			Compal Electronics, Inc.	
Issued Date	2009/07/01	Deciphered Date	2010/07/01	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	Rev
				401817	A
Date: Monday, September 28, 2009				Sheet	24 of 53






DMI for ESI-compatible operation	
PCI_GNT#1	Low= DMI for ESI-compatible operation High= Default* (Internal pull-up)




A16 Swap Override Strap	
PCI_GNT#3	Low= A16 swap override Enable High= Default*





Boot BIOS Strap		
PCI_GNT#0	SPI_CS#1	Boot BIOS Location
0	1	SPI
1	0	PCI
1	1	LPC*




Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/07/01	Deciphered Date	2010/07/01	Title	SCHEMATIC, MB A4853
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number
				Date	Monday, September 28, 2009
				Sheet	25 of 53












SATA HDD Conn.






SATA ODD Conn.




Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/07/01	Deciphered Date	2010/07/01	Title	SCHEMATIC,MB A4853
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size Custom	Document Number 401817
				Date	Monday, September 28, 2009
				Sheet	29 of 53
				Rev	A






Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/07/01	Deciphered Date	2010/07/01	Title	SCHEMATIC,MB A4853
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	401817
Date:	Monday, September 28, 2009	Sheet	32	of	53


For Wireless LAN




Mini Card Power Rating			
Power	Primary Power (mA)		Auxiliary Power (mA)
	Peak	Normal	Normal
+3VS	1000	750	
+3V	330	250	250 (wake enable)
+1.5VS	500	375	5 (Not wake enable)














USB CONN.




Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/07/01	Deciphered Date	2010/07/01	Title	SCHMATIC, MB A4853
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Rev	A
Date: Monday, September 28, 2009				Sheet	34 of 53






Security Classification	Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/07/01	Deciphered Date	2010/07/01	Title
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number
				401817
				Rev A
				Date: Monday, September 28, 2009
				Sheet 36 of 53






ON/OFF switch







Security Classification		Compal Secret Data				Compal Electronics, Inc.					
Issued Date		2009/07/01		Deciphered Date		2010/07/01		Title			
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.								SCHEMATIC,MB A4853			
								Document Number		Rev A	
								401817			
Date:		Monday, September 28, 2009				Sheet		37 of 53			



HD Audio Codec




Sense Pin	Impedance	Codec Signals
SENSE A	39.2K	PORT-B (PIN 21, 22)
	20K	
	10K	
	5.1K	
SENSE B	39.2K	PORT-H (PIN 32,33)
	20K	
	10K	
	5.1K	




Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/07/01	Deciphered Date	2010/07/01	Title	SCHEMATIC,MB A4853
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	401817
				Date:	Monday, September 28, 2009
				Sheet	39 of 53


+5VALW TO +5VS



+3VALW TO +3VS



+1.8V to +1.8VS




For HM51


Pre-MP 9/17



+3VALW TO +3V_SB(ICH8M AUX Power)





+1.5V to +1.5VS





<18,27,35,41,44> ACIN





Reserve for EMI request



Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/07/01	Deciphered Date	2010/07/01	Title	SCHEMATIC,MB A4853
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	401817
				Date:	Monday, September 28, 2009
				Sheet	40 of 53




Vin Dectector				
	Min.	Typ	Max.	
H-->L	16.976V	17.525V	17.728V	
L-->H	17.430V	17.901V	18.384V	



Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/07/17	Deciphered Date	2009/07/17	Title	SCHEMATIC,MB A4853
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	401817
				Date:	Monday, September 28, 2009
				Sheet	41 of 53


PH1 under CPU botten side :
CPU thermal protection at 90 degree C
Recovery at 70 degree C

2009_08_06 (0603->0402) PCBfootprint for Layout
Change P/N for 0402-100K



PH2 near main Battery CONN :
BAT. thermal protection at 90 degree C
Recovery at 70 degree C

2009_08_06 (0603->0402) PCBfootprint for Layout
Change P/N for 0402-100K



VMB <38>

BATT+ <35,38>

VMB <38>

BATT_TEMP <35>

EC_SMB_CK1 <35>

EC_SMB_DA1 <35>


+VSBP



B+ O
<36, 37, 38, 39, 40, 42>

<43> SPOK

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/07/17	Deciphered Date	2009/07/17	Title	SCHEMATIC,MB A4853
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	401817
				Rev	A
				Date:	Monday, September 28, 2009
				Sheet	42 of 53


<36, 37, 38, 39, 40, 42>






CP Point Setting
CP point=ladapter*85%
90W adapter
Vacset=3.3*(100K/(64.9K+100K))=2.001V
65W adapter R=(100K*100K)/(100K+100K)=50K
CP Point=(Vacset/Vvdac)*(0.1/PR56)=4.04A
Vacset=3.3*(50K/(50K+64.9K))=1.436V
CP POINT=(1.436V/3.3V)*(0.1/0.015)=2.901A

Input OVP : 22.3V
Input UVP : 17.26V
Fsw : 300KHz





VBATT	Calibrate#	VDAC=3.3
4.0V	L=0	
4.2V	1.8755V	
4.3V	2.8132V	
4.35V	H=3.3	

LI-4S : 18.0V---BATT-OVP=2.001V
BATT-OVP=0.1112*VMB(18)
LI-3S : 13.5V---BATT-OVP=1.5012V
BATT-OVP=0.1112*VMB(13.5)
Per cell=4.5V



Icharge Setting
For 2200mA, Icharge=0.8C=0.8*2*2=3.52A
For 2400mA, Icharge=0.8C=0.8*2.4*2=3.84A
Icharge=(Vsrset/Vdac)*(0.1/PR64)
IREF=((100k/(100K+17.4K))/3.3)*(0.1/0.02)=Icharge
IREF=0.7748*Icharge





Security Classification	Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/07/17	Deciphered Date	2009/07/17	Title
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				SCHEMATIC,MB A4853
Document Number				Rev
401817				A
Date: Monday, September 28, 2009				Sheet 49 of 53

Version change list (P.I.R. List)

Page 1 of 3 of PWR

Item	Fixed Issue	Reason for change	Rev.	PG#	Modify List	Date	Phase
1		Add PC57 :10U_1206_25V_6M	0.1	38	Add PC57 :10U_1206_25V_6M	20080902	EVT
2		Add snubber for EMI	0.1	42	Add snubber for EMI	20080915	EVT
3		Shift PC99 from +cpu_B+ to B+	0.1	42	Shift PC99 from +cpu_B+ to B+	20080915	EVT
4		Add PJ15 to B+	0.1	39	Add PJ15 to B+	20080915	EVT
5		PR135 and PR140 change to 0_0603_5%	0.1	42	PR135 and PR140 change to 0_0603_5%	20080915	EVT
6	Charger feedback trace too long	ADD PC49	0.2	38	ADD PC49	20081124	DVT
7	Power sequence error	+1.5VP: enable pin change from SUSP# to SYSON +0.9VSP: enable pin change from SUSP# to SUSP	0.2	40	+1.5VP: enable pin change from SUSP# to SYSON +0.9VSP: enable pin change from SUSP# to SUSP	20081124	DVT
8	Load line over spec	PR131: change to 5.76K_0402_1%	0.2	42	PR131: change to 5.76K_0402_1%	20081124	DVT
9	3D hang	Charger PR63:change to 2.2_0603_5% PR66:Add 4.7_1206_5% PC56:Add 680P_0402_50V7K	0.2	38	Charger PR63:change to 2.2_0603_5% PR66:Add 4.7_1206_5% PC56:Add 680P_0402_50V7K	20081124	DVT
10	3D hang	+1.8VP PR97:change to 2.2_0603_5% PR160:Add 4.7_1206_5% PC119:Add 680P_0402_50V7K	0.2	39	+1.8VP PR97:change to 2.2_0603_5% PR160:Add 4.7_1206_5% PC119:Add 680P_0402_50V7K	20081124	DVT
11	3D hang	+1.05VSP PR105:change to 2.2_0603_5% PR161:Add 4.7_1206_5% PC120:Add 680P_0402_50V7K Add bead between B+ and 1.05VSP_B+	0.2	39	+1.05VSP PR105:change to 2.2_0603_5% PR161:Add 4.7_1206_5% PC120:Add 680P_0402_50V7K Add bead between B+ and 1.05VSP_B+	20081124	DVT
12	EMI solution	+5VALW/+3VALW PR37: Add 4.7_1206_5% PR41: Add 4.7_1206_5% PC33: Add 680P_0402_50V7K PC34: Add 680P_0402_50V7K PR38: change to 2.2_0603_5% PR39: change to 2.2_0603_5%	0.2	37	+5VALW/+3VALW PR37: Add 4.7_1206_5% PR41: Add 4.7_1206_5% PC33: Add 680P_0402_50V7K PC34: Add 680P_0402_50V7K PR38: change to 2.2_0603_5% PR39: change to 2.2_0603_5%	20081124	DVT
13	EMI solution	+CPU CORE PR158: Add 4.7_1206_5% PR159: Add 4.7_1206_5% PC117: Add 680P_0402_50V7K PC118: Add 680P_0402_50V7K PR135: change to 2.2_0603_5% PR140: change to 2.2_0603_5%	0.2	42	+CPU CORE PR158: Add 4.7_1206_5% PR159: Add 4.7_1206_5% PC117: Add 680P_0402_50V7K PC118: Add 680P_0402_50V7K PR135: change to 2.2_0603_5% PR140: change to 2.2_0603_5%	20081124	DVT
16	EMI solution	+CPU CORE PC122: Reserve 2200P_0402_50V7K on B+	0.2	42	+CPU CORE PC122: Reserve 2200P_0402_50V7K on B+	20081124	DVT
17	EMI solution	+1.05VSP PR105 : change to 2.2_0603_5% PL12 : Add HCB4532KF-800T90_1812 PC124: Reserve 2200P_0402_50V7K on B+ PC125: Reserve 2200P_0402_50V7K on B+	0.2	39	+1.05VSP PR105 : change to 2.2_0603_5% PL12 : Add HCB4532KF-800T90_1812 PC124: Reserve 2200P_0402_50V7K on B+ PC125: Reserve 2200P_0402_50V7K on B+	20081124	DVT

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/07/01	Deciphered Date	2010/07/01	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF RESEARCH AND DEVELOPMENT DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				SCHEMATIC,MB A4853	
Customer				Document Number	Rev
				401817	A
Date:				Monday, September 28, 2009	Sheet 50 of 53

Item	Fixed Issue	Reason for change	Rev.	PG #	Modify List	Date	Phase
18	Battery & HW solution	Charger PQ20:Reserve(@)SI2301BDS-T1-E3_S0T23-3 PQ21:Reserve(@)SSM3K7002FU_SC70-3 PR82:Reserve(@)887K_0402_1% PR84:Reserve(@)0_0402_5% PC68:Reserve(@)1000P_0402_50V7K PR87:change to 210K_0402_1% PR88:change to 499K_0402_1%	0.2	38	Charger PQ20:Reserve(@)SI2301BDS-T1-E3_S0T23-3 PQ21:Reserve(@)SSM3K7002FU_SC70-3 PR82:Reserve(@)887K_0402_1% PR84:Reserve(@)0_0402_5% PC68:Reserve(@)1000P_0402_50V7K PR87:change to 210K_0402_1% PR88:change to 499K_0402_1%	20081124	DVT
		39					
		40		+1.05VSP PR104: Reserve(@)0_0402_5% PR110: change to 10K_0402_5% PR79 : Add 0.1U_0402_16V7K +1.5VP PR112: Reserve(@) 0_0402_5%			
19	EMI soultion	+3VALWP/+3VALW PC100: 680P_0402_50V7K PC130: 1000P_0402_50V_7K PC131: 1000P_0402_50V_8J +1.5VP ADD PR113: 2.2_0603_5% ADD PR163: 4.7_1206_5% ADD PC121: 680P_0402_50V7K ADD PL16 :FBMA-L11-322513-151LMA50T_1210	0.3	35	+3VALWP/+3VALW PC100: 680P_0402_50V7K PC130: 1000P_0402_50V_7K PC131: 1000P_0402_50V_8J	20081224	PVT
		40		+1.5VP ADD PR113: 2.2_0603_5% ADD PR163: 4.7_1206_5% ADD PC121: 680P_0402_50V7K ADD PL16 :FBMA-L11-322513-151LMA50T_1210			
20	POWER Solution	+3VALWP/+5VALWP RT8206- Fix output 5V for HW no HDMI	0.3	37	+3VALWP/+5VALWP PR42: Reserve 61.9K_0402_1%	20090111	PVT
		COMPAL ELECTRONICS					
		Title SCHEMATIC, MB A4853					
		Size	Document Number		Rev		
			401817		A		
		Date:	Monday, September 28, 2009		Sheet 51 of 53		

Item	Fixed Issue	Reason for change	Rev	PG #	Modify List	Date	Phase
21	EMI solution	Reduce the Noise	0.3	37	Add PL 13 (HCB4532KF-800T90_1812) Add PL 14 (FBMA-L11-322513-151LMA50T_1210) Add PL 15 (FBMA-L11-322513-151LMA50T_1210) Add PC126 (100P_0402_50V8J) Add PC128 (100P_0402_50V8J) Add PC129 (1000P_0402_50V7K)	20090112	PVT
22	Battery solution	Adjust battery voltage	0.3	38	Reserve PR86 (100K_0402_1%)	20090112	PVT
23	Saturation current	1.8u choke saturation current too small	0.3	39	change PL7 to 1UH_PCMB103E-1R0MS_20A_20%	20090113	PVT
24	GP BOM	Tolerance: K:+-10% ; J:+-5%	0.4	42	Change PC106 to 33P_0402_50V8J Change PC108 to 33P_0402_50V8J Change PC110 to 33P_0402_50V8J Change PC114 to 33P_0402_50V8J	20090123	PVT

COMPAL ELECTRONICS

TitleSCHEMATIC,MB A4853

Size A

Document Number401817

Rev A

Date:Monday, September 28, 2009Sheet52 of 53

8/21 For Change DDR3

- 1. P.40 Add R612, Q59 ; Unstuff R244 ; Remove R260, R253, Q13, Q14 ; stuff C309, C313, C315, C310, C314, R266, Q52, Q51, R267, U12 for +1.5V
- 2. P.40 Unstuff R611, Q58 for +0.75VS ; Add J3 for +1.8V ;
- 3. P.37 Unstuff R609, R610 ; Add R608, R606, R607, D33, U42, Q57 for DDR3
- 4. P.23 Unstuff R411, D20 ; Add R613 for BK0FF#
- 5. P.25 Unstuff U8, R83 ; Add R614 for PCI_RST#

9/1

- 1. P.22 Unstuff R544, R545 for No HDMI Audio Function
- 2. P.40 Change R558 120K ohm as 200K ohm ; Change R200K ohm as 270K ohm

9/17

- 1. P.40 Unstuff C882, C883, C884, C885, C886, R275, Q54, U40 for 1.8VS
- 2. P.31 Change C81, C82 27pF as 33pF for Xtal 25MHz(TXC suggest value)
- 3. P.26 Change C163, C164 18pF as 15pF for Xtal 32.768kHz (TXC suggest value)
- 4. P.37 Unstuff C407, C880, C881, R560, D30
- 5. P.41 Unstuff R580, U41
- 6. P.35 Change R273 8.2k ohm as 18k ohm for Board ID

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date		2009/07/01		Deciphered Date	
2009/07/01		2010/07/01		Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.		Document Number		Rev	
Date		Monday, September 28, 2009		Sheet	
5		4		1	
3		2		53 of 53	
401817		A			