

Compal Confidential

NEWX5 / PEW56 M/B Schematics Document

AMD Danube Only UMA

AMD Champlain Processor with RS880M/SB820M

2010-06-17

LA5912P REV: 1.0


Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/10/06	Deciphered Date	2010/03/12	Title	SCHEMATICS, MB A5912
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Rev	Rev
				401829	C
Date: Wednesday, June 30, 2010				Sheet	1 of 45

Compal Confidential

Model Name : NEWX5 / PEW56

File Name : LA-5912P

P/N : DA60000FZ10




PCB

NEWX5
LA-5912P MB Rev1: DA60000FZ10
LA-5912P MB DAZ0C600100

PEW56
LA-5912P MB Rev1: DA60000FZ10
LA-5912P MB DAZ0GJ00100

Security Classification	Compal Secret Data			Compal Electronics, Inc.		
Issued Date	2009/10/06	Deciphered Date	2010/03/12	Title	SCHEMATICS, MB A5912	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Rev	Document Number	Rev
				1	401829	C
				Date:	Wednesday, June 30, 2010	Sheet 2 of 45



Security Classification		Compal Secret Data			Title		
Issued Date	2009/10/06	Deciphered Date	2010/03/12		Size	Document Number	Rev
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.					Custom	401829	C
					Date:	Wednesday, June 30, 2010	Sheet 3 of 45

Voltage Rails

Power Plane	Description	S1	S3	S5
VIN	Adapter power supply (19V)	N/A	N/A	N/A
B+	AC or battery power rail for power circuit.	N/A	N/A	N/A
+CPU_CORE	Core voltage for CPU (1.375-1.5V)	ON	OFF	OFF
+CPU_CORE_NB	Voltage for On-die Northbridge of CPU(0.8-1.1V)	ON	OFF	OFF
+CPU_VDDR	1.05V switched power rail	ON	OFF	OFF
+0.75V	0.75V switched power rail for DDR terminator	ON	ON	OFF
+1.1VS	1.1V switched power rail for NB VDDC & VGA	ON	OFF	OFF
+1.5V	1.5V power rail for CPU VDDIO and DDR	ON	ON	OFF
+1.5VS	1.5V power rail for MINI Card	ON	OFF	OFF
+1.8VS	1.8V switched power rail	ON	OFF	OFF
+2.5VS	2.5V for CPU_VDDA	ON	OFF	OFF
+3VALW	3.3V always on power rail	ON	ON	ON*
+3VS	3.3V switched power rail	ON	OFF	OFF
+3V_LAN	3.3V power rail for LAN	ON	ON	ON
+5VALW	5V always on power rail	ON	ON	ON*
+5VS	5V switched power rail	ON	OFF	OFF
+VSB	VSB always on power rail	ON	ON	ON*
+RTCVCC	RTC power	ON	ON	ON

Note : ON* means that this power plane is ON only with AC power available, otherwise it is OFF.

External PCI Devices

Device	IDSEL#	REQ#/GNT#	Interrupts
--------	--------	-----------	------------

EC SM Bus1 address

Device	Address	HEX	Device	Address	HEX
Smart Battery	0001 011X b	16H	ADI ADM1032 (CPU)	1001 100X b	98H
			SB-Temp Sensor		98H

EC SM Bus2 address

SB820
SM Bus 0 address

Device	Address	HEX	Device	Address
Clock Generator (SILEGO SLG8SP626)	1101 001Xb	D2		
DDR DIMM1	1001 000Xb	90		
DDR DIMM2	1001 010Xb	94		
Mini card				

SB820
SM Bus 1 address

STATE	SIGNAL	SLP_S1#	SLP_S3#	SLP_S4#	SLP_S5#	+VALW	+V	+VS	Clock
Full ON		HIGH	HIGH	HIGH	HIGH	ON	ON	ON	ON
S1(Power On Suspend)		LOW	HIGH	HIGH	HIGH	ON	ON	ON	LOW
S3 (Suspend to RAM)		LOW	LOW	HIGH	HIGH	ON	ON	OFF	OFF
S4 (Suspend to Disk)		LOW	LOW	LOW	HIGH	ON	OFF	OFF	OFF
S5 (Soft OFF)		LOW	LOW	LOW	LOW	ON	OFF	OFF	OFF

Board ID / SKU ID Table for AD channel

Vcc	3.3V +/- 5%			
Ra/Rc/Re	100K +/- 5%			
Board ID	Rb / Rd / Rf	V _{AD_BID} min	V _{AD_BID} typ	V _{AD_BID} max
0	0	0 V	0 V	0 V
1	8.2K +/- 5%	0.216 V	0.250 V	0.289 V
2	18K +/- 5%	0.436 V	0.503 V	0.538 V
3	33K +/- 5%	0.712 V	0.819 V	0.875 V
4	56K +/- 5%	1.036 V	1.185 V	1.264 V
5	100K +/- 5%	1.453 V	1.650 V	1.759 V
6	200K +/- 5%	1.935 V	2.200 V	2.341 V
7	NC	2.500 V	3.300 V	3.300 V

BOARD ID Table


Board ID	PCB Revision
0	
1	NEWX5 / PEW56 PVT stage (w/ pach code)
2	
3	
4	
5	
6	
7	

Project ID Table

Board ID	PCB Revision
0	NEWX5
1	PEW56
2	
3	
4	
5	
6	
7	

BTO Option Table

BTO Item	BOM Structure
Internal CLK	INT@
External CLK	EXT@
Vari-Bright	VB@
No Vari-Bright	UNVB@
HDMI	HDMI@
NEWX5	NEWX5@
PEW56	PEW56@
NEW75/85 LED	7585@
NEW95/PEW56 LED	9556@
Bluetooth	BT@
3G	3G@



AMD CPU S1G4	
0.7-1.3V	VDD CORE 36A
0.8-1.2V	VDDNB 4A
2.5V	VDDA 250mA
1.5V	VDDIO 3A
1.05V	VDDR 1.5A
1.1V	VLDI 1.5A



RAM DDRIII SODIMMX2	
1.5V	VDD_MEM 4A
0.75V	VTT_MEM 0.5A

NorthBridge AMD RS880M	
1.0-1.1V	VDDC 1.0V-1.1V 7.6A
1.1V_S0	VDDHTRX+HT 0.68A VDDPCIE 1.1A VDDHTTX 0.68A PLLs 0.23A
1.8V_S0	VDDA18 0.64A VDDG18 0.005A VDDL18 0.22A PLLs 0.1A
3.3V_S0	VDDG33 0.06A AVDD 0.125A VDDL33 0A
No Use	VDD18_MEM 1.8V 0.005A VDD_MEM 1.8V 0.23A


VGA ATI Madison / Park	
0.85-1.1V	VDDC 29 A VDDCI 4 A
1.0V	PCIE_VDDC 2 A DP1F_A1_VDDIO 230 mA DPLL_VDDC 125 mA SPV10 100 mA
1.5V	VDDR1 TBD A
1.8V	PCIE_PVDD 40 mA PCIE_VDDR 400 mA TSVDD 5 mA VDDR4 TBD mA VDD_C1 17 mA DP1F_A1_PVDD 20 mA DP1F_A1_VDD18 330 mA AVDD 70 mA VDDID1 45 mA AZVDDQ 1.5 mA VDD2D1 50 mA DPLL_PVDD 75 mA MPV18 150 mA SPV18 50 mA
3.3V	VDDR3 60 mA A2VDD 130 mA

VRAM 1GB 64Mx16 (K4B1G1646E) * 8	
1.5V	2.4 A

SouthBridge AMD SB820M	
1.1V_S0	VDDCR_11_S 1.1V 0.5A VDDAN_11_PCIE 1A VDDAN_11_SATA 0.8A VDDAN_11_CLK 0.4A
1.1V_S5	VDDCR_11_S 113mA VDDAN_11_USB_S 200mA VDDCR_11_USB_S 197mA VDDPL_11_SYS_S
3.3V_S0	VDDIO_33_PCIEP 0.020A VDDPL_33_PCIE 0.030A VDDPL_33_SATA 0.020A VDDPL_33_SYS
3.3V_S5	VDDIO_33_S VDDPL_33_USB_S VDDAN_33_USB_S 0.2A VDDAN_33_S VDDXL_33_S VDDIO_AZ_S
No Use	VDDCR_11_GBE_S VDDRF_GBE_S VDDIO_33_GBE_S VDDIO_GBE_S VDDIO_18_FC
2.5-3.6V BAT	VDDBT_RTC_G



Processor DDR3 Memory Interface




VDD(+CPU_CORE) decoupling.

Near CPU Socket

Change as SGA19331D10 (ESR9 ohm) for PVT

Under CPU Socket



Under CPU Socket

Between CPU Socket and DIMM

180PF Qt'y follow the distance between CPU socket and DIMM0. <2.5inch>

Change as SGA19331D10 (ESR9 ohm) for PVT

VDDR decoupling.

Near Power Supply

+CPU_VDDR

C56 + 220uF 6.3V_M

C55 22uF 0805_6.3V6M

For PVT Change as SF000002N00(H4.4)

Near CPU Socket Right side.

+CPU_VDDR

C57 4.7uF 0805_10V4Z

C58 4.7uF 0805_10V4Z

C59 0.22uF 0603_16V4Z

C60 0.22uF 0603_16V4Z

C61 1000P 0402_50V7K

C62 1000P 0402_50V7K

C63 180P 0402_50V8J

C70 180P 0402_50V8J

Near CPU Socket Left side.

+CPU_VDDR

C76 4.7uF 0805_10V4Z

C77 4.7uF 0805_10V4Z

C78 0.22uF 0603_16V4Z

C79 0.22uF 0603_16V4Z


C80 1000P 0402_50V7K


C81 1000P 0402_50V7K

C82 180P 0402_50V8J

C83 180P 0402_50V8J




Security Classification	Compal Secret Data			Compal Electronics, Inc.		
Issued Date	2009/10/06	Deciphered Date	2010/03/12	Title	SCHEMATICS, MB A5912	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF RAZOR DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	401829	Rev C
				Custian		
				Date:	Wednesday, June 30, 2010	Sheet 9 of 45







DIMM_B STD H:4mm

<Address: 01>





































Security Classification		Compal Secret Data				Compal Electronics, Inc.					
Issued Date		2009/10/06		Deciphered Date		2010/03/12		Title		SCHEMATICS, MB A5912	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.								Rev		C	
								Document Number		401829	
								Date		Wednesday, June 30, 2010	
								Sheet		11 of 45	



0718 Place within 1" layout 1:2

0718 Place within 1" layout 1:2

Security Classification		Compal Secret Data				Compal Electronics, Inc.						
Issued Date		2009/10/06		Deciphered Date		2010/03/12		Title		SCHEMATICS, MB A5912		
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.										Document Number		Rev C
										401829		
Date: Wednesday, June 30, 2010						Sheet 12 of 45						



PART 3 OF 6

CRT/TVOUT

LVTM

PM

PULL PWR











CLOCKS

MIS.


RS780M_FCBGA528

RS880 A11(SA000032710)

RS880	POWER_SEL
HIGH	0.95V
LOW	1.1V



Security Classification		Compal Secret Data				Compal Electronics, Inc.					
Issued Date		2009/10/06		Deciphered Date		2010/03/12		Title			
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT PRIOR WRITTEN PERMISSION OF COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.						SCHEMATICS, MB A5912					
						Document Number		401829		Rev C	
						Date		Wednesday, June 30, 2010		Sheet 13 of 45	



1st (SILEGO) : SA000012310 S IC SLG8SP626VTR QFN 72P CLK GEN
2nd (ICS) : SA000023H10 S IC ICS9LPRS488CKLFT MLF 72P CLK GEN


change to SJ100009R00

		CLK_NB_14.318M
RS880		1.1V 158R/90.0R


27M_SEL	1 *	NON SPREAD 27M and SPREAD 27M output
	0	differential spread SRC_7 output
SEL_HTT66	1	single-ended 66MHz HTT output
	0*	differential 100MHz HTT output
SEL_SATA	1*	NON SPREAD 100M SATA SRC6 output
	0	SPREAD 100M SATA SRC6 output

Security Classification	Compal Secret Data			Compal Electronics, Inc.		
Issued Date	2009/10/06	Deciphered Date	2010/03/12	Title		
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Rev	Document Number	Rev
				Custom	401829	C
				Date:	Wednesday, June 30, 2010	Sheet 15 of 45




LCD POWER CIRCUIT



LCD/LED PANEL Conn.



Security Classification	Compal Secret Data			Compal Electronics, Inc.		
Issued Date	2009/10/06	Deciphered Date	2010/03/12	Title		
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Rev	Document Number	Rev
				1	401829	C
				Date:	Wednesday, June 30, 2010	Sheet 16 of 45




The diagram illustrates the timing relationships for HDMI signals. It consists of several signal pairs, each with a differential signal and a corresponding eye diagram. The signals are labeled as follows:

- HDMI C CLK-** and **HDMI C CLK+**: Clock signals with a period of 0.0402 5%.
- HDMI C TX0-** and **HDMI C TX0+**: Data signals with a period of 0.0402 5%.
- HDMI C TX1-** and **HDMI C TX1+**: Data signals with a period of 0.0402 5%.
- HDMI C TX2-** and **HDMI C TX2+**: Data signals with a period of 0.0402 5%.


Each signal pair is accompanied by an eye diagram showing the signal's waveform and timing. The eye diagrams are labeled with the signal name and the period 0.0402 5%.

Security Classification	Compal Secret Data			Compal Electronics, Inc.		
Issued Date	2009/10/06	Deciphered Date	2010/03/12	Title	SCHEMATICS, MB A5912	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF THE DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Doc. Number	401829	Rev C
				Date	Wednesday, June 30, 2010	Sheet 17 of 45








CRT Connector




Close to Conn side



Security Classification		Compal Secret Data				Compal Electronics, Inc.									
Issued Date		2009/10/06		Deciphered Date		2010/03/12		Title		SCHEMATICS, MB A5912					
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.										Rev		C			
										Document Number		401829			
										Date		Wednesday, June 30, 2010		Sheet 18 of 45	








THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.



HDD

ODD



SB820 A12(SA00003IW10)



SB800
Part 2 of 5

SERIAL ATA

FLASH


HW MONITOR

SPI ROM




AMD Suggest Unpop Y4 For DVT 11/17

MEM 1V5 is for gating the glitch on PCI_AD24



For VDDR Voltage Switch, AMD suggest

Security Classification				Compal Secret Data				Compal Electronics, Inc.			
Issued Date				2009/10/06				Deciphered Date			
				2010/03/12							
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Title				Document Number			
				401829				Rev			
				C				Date: Wednesday, June 30, 2010			
				Sheet				21 of 45			




Security Classification		Compal Secret Data		Title	
Issued Date	2009/10/06	Deciphered Date	2010/03/12	Document Number	401829
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Customer	Rev C
				Date: Wednesday, June 30, 2010	Sheet 22 of 45

REQUIRED STRAPS

Check Internal PU/PD


	AZ_SDOUT	PCI_CLK1	PCI_CLK2	PCI_CLK3	PCI_CLK4	LPC_CLK0	LCP_CLK1		GPIO200	GPIO199
PULL HIGH	LOW POWER MODE	ALLOW PCIE GEN2	WATCHDOG TIMER ENABLE	USE DEBUG STRAP	Inter CLK Gen Mode Enable	EC ENABLE	CLOCKGEN ENABLE		H,H = Reserved	
PULL LOW	Performance MODE	FORCE PCIE GEN1	WATCHDOG TIMER DISABLE	IGNORE DEBUG STRAP	Inter CLK Gen Mode Disable	EC DISABLE	CLOCKGEN DISABLE		H,L = SPI ROM	L,H = LPC ROM (Default L,NC)
	DEFAULT	DEFAULT	DEFAULT	DEFAULT	DEFAULT	DEFAULT	DEFAULT		L,L = FWH ROM	



DEBUG STRAPS

SB800 HAS 15K INTERNAL PU FOR PCI_AD[27:23]


		PCI_AD27	PCI_AD26	PCI_AD25	PCI_AD24	PCI_AD23
PULL HIGH		USE PCI PLL DEFAULT	DISABLE ILA AUTORUN DEFAULT	USE FC PLL DEFAULT	USE DEFAULT PCIE STRAPS DEFAULT	DISABLE PCI MEM BOOT DEFAULT
PULL LOW		BYPASS PCI PLL	ENABLE ILA AUTORUN	BYPASS FC PLL	USE EEPROM PCIE STRAPS	ENABLE PCI MEM BOOT




Check AD29,AD28 strap function

check default




SATA HDD Conn.






SATA ODD Conn.



Security Classification		Compal Secret Data				Compal Electronics, Inc.					
Issued Date		2009/10/06		Deciphered Date		2010/03/12		Title			
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.						SCHEMATICS, MB A5912					
						Doc Number		401829		Rev C	
						Date		Wednesday, June 30, 2010		Sheet 24 of 45	




	SPROM_CLK (EECLK)	SPROM_DOUT (EEDATA)
On chip	1	0
AT24C02	1	1




TXC suggest change SE071330J80 For DVT

Security Classification				Compal Secret Data				Compal Electronics, Inc.			
Issued Date				2009/10/06				Title			
Deciphered Date				2010/03/12				SCHEMATICS, MB A5912			
This sheet of engineering drawing is the proprietary property of Compal Electronics, Inc. and contains confidential and trade secret information. This sheet may not be transferred from the custody of the competent division of R&D Department except as authorized by Compal Electronics, Inc. Neither this sheet nor the information it contains may be used by or disclosed to any third party without prior written consent of Compal Electronics, Inc.				Document Number				Rev C			
Date: Wednesday, June 30, 2010				Sheet 25 of 45				401829			

BH GS5009-D <SP050006B00>




LAN Connector





Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/10/06	Deciphered Date	2010/03/12	Title	SCHEMATICS, MB A5912
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	401829
				Date	Wednesday, June 30, 2010
				Sheet	26 of 45

Mini-Express Card for WLAN




Mini Card Power Rating			
Power	Primary Power (mA)		Auxiliary Power (mA)
	Peak	Normal	Normal
+3VS	1000	750	
+3V	330	250	250 (wake enable)
+1.5VS	500	375	5 (Not wake enable)











To CardReader/B Connector






Bluetooth Conn.








Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/10/06	Deciphered Date	2010/03/12	Title	SHEMATICS, MB A5912
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	Rev C
				401829	
Date:	Wednesday, June 30, 2010	Sheet	30	of	45






ALC272X			
Sense Pin	Impedance	Codec Signals	Function
SENSE A	39.2K	PORT-A (PIN 39, 41)	LOUT2
	20K	PORT-B (PIN 21, 22)	MIC1
	10K	PORT-C (PIN 23, 24)	LINE1
	5.1K	PORT-D (PIN 35, 36)	LOUT1
SENSE B	39.2K	PORT-E (PIN 14, 15)	LINE2
	20K	PORT-F (PIN 16, 17)	MIC2
	10K		
	5.1K	PORT-J (PIN 32, 33)	HP

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date		2009/10/06	Deciphered Date	2010/03/12	Title
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				SCHEMATICS, MB A5912	
				Document Number 401829	Rev C
Date		Wednesday, June 30, 2010		Sheet	31 of 45

GAIN0	GAIN1	AV(inv)	Ri
0	0	6dB	90k
0	1	10dB	70k
1	0	15.6dB	45k
1	1	21.6dB	25k




Int. Speaker Conn.





Security Classification		Compal Secret Data				Compal Electronics, Inc.					
Issued Date		2009/10/06		Deciphered Date		2010/03/12		Title			
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.								SCHEMATICS, MB A5912			
								Document Number		Rev	
								401829		C	
								Date: Wednesday, June 30, 2010		Sheet 32 of 45	

FAN1 Conn




ON/OFF switch **Power Button**




Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/10/06	Deciphered Date	2010/03/12	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	Rev
				401829	C
Date: Wednesday, June 30, 2010				Sheet	33 of 45


+5VALW TO +5VS









+3VALW TO +3VS



+1.1VALW TO +1.1VS







+1.5V to +1.5VS





11/26 DVT for EMI request

Security Classification	Compal Secret Data			Compal Electronics, Inc.		
Issued Date	2009/10/06	Deciphered Date	2010/03/12	Title	SCHEMATICS, MB A5912	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Rev	Document Number	Rev
				1	401829	C
				Date:	Wednesday, June 30, 2010	Sheet 34 of 45






PH1 thermal protection at 92 degree C Recovery at 56 degree C
PH2 thermal protection at 85 degree C Recovery at 56 degree C



Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2007/09/20	Deciphered Date	2010/03/12	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	Rev
				401829	C
				Date: Wednesday, June 30, 2010	Sheet 36 of 45

$$CP = 85\% \cdot I_{ada} ; CP = 4.03A$$


```

CP mode
Iinput=(1/0.02)(0.05*Vaclm/2.39+0.05)
where Vaclm=1.464V (90W), Iinput=4.03A
PR84=12.1K;PR87=20K
where Vaclm=0.391(65W), Iinput=2.91A
PR84=12.1K;PR85=2.55K


```

$$ADP_I = 19.9 \times 3.42 \times 0.95 \times 0.02 = 1.29V$$



BATT Type	Charging Voltage (0x15)	CV mode
Normal 3S LI-ON Cells	12600mV	12.60V

CC=0.6~4.48A
IREF=1.016*Icharge
IREF=0.43V~3.24V

```
LI-3S :13.5V---BATT-OVP=1.5012V
BATT-OVP=0.1112*VMB
Per cell=3.5V
```





Security Classification	Compal Secret Data			Compal Electronics, Inc.		
Issued Date	2007/09/20	Deciphered Date	2010/03/12	Title	SCHEMATICS, MB A5912	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Docu- ment Number	Rev C	
				Customer	401829	
				Date:	Wednesday, June 30, 2010	
				Sheet	38	of 45




Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2007/09/20	Deciphered Date	2010/03/12	Title	SCHEMATICS, MB A5912
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Docu- ment Number	401829
				Rev C	
Date: Wednesday, June 30, 2010				Sheet	39 of 45


	POWER_SEL
HIGH	0.95V
LOW	1.1V





	VDDR_SW
HIGH	1.05V
LOW	0.9V



Security Classification	Compal Secret Data			Compal Electronics, Inc.		
Issued Date	2007/09/20	Deciphered Date	2010/03/12	Title	SCHEMATICS, MB A5912	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF RAYTHEON COMPANY DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Docu- ment Number	Rev	
				401829	C	
Date: Wednesday, June 30, 2010				Sheet	40	of 45



Ipeak=1A, Imax=0.7A



ACIN			
	Min.	typ.	Max
H-->L	14.589V	14.84V	15.243V
L-->H	15.562V	15.97V	16.388V

BATT ONLY			
	Min.	typ.	Max
H-->L	6.138V	6.214V	6.359V
L-->H	7.196V	7.349V	7.505V

Security Classification		Compal Secret Data				Compal Electronics, Inc.			
Issued Date		2007/09/20		Deciphered Date		2010/03/12		Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.								SCHEMATICS, MB A5912	
								Document Number	
Date:		Wednesday, June 30, 2010		Sheet		41		of 45	

Version change list (P.I.R. List)

Page 1 of 2
for PWR

Item	Fixed Issue	Reason for change	Rev.	PG#	Modify List	Date	Phase
1	ADD 2 switch mos and remove 2 pull high resistance to modify VGA_CORE switch level	Before modify to fault, we recognize that VGAPWRSEL pin is open drain state. But after check with AMD AE regoer to clear the foul that VGAPWRSEL pin has driving ability.so i take away 2 pull high resistance and add 2 switch mos to modify the switch level.	0.1	52	ADD PQ60 and PQ61 remove PR212(10K,0402) and PR213(10K.0402)	2009/08/21	EVT_NAV71
2	change thermister , tune PH1 protection and recovery set point	change thermister from 150K to 100K	0.1	44	thermister part number SL200000V00 and PR28 change to 21K, PR30 change to 9.53K	2009/08/27	EVT_NEW75
3	Add GPU voltagr sence net	Cause GPU have GCORE_SEN and FB_GND pin so power add receive net.	0.1	51	ADD GCORE_SEN and FB_GND net, also add PR296(0_0402_1%), PR297(10_0402_5%) and PR298(0_0402_5%)	2009/09/04	EVT_NEW75
4	change DC-IN connector part number	to meet pin definition	0.1	43	change part number is SP020908120	2009/09/10	EVT_NEW75
5	change reistance PR81 value	Cause meet battery Ki value setting from 1.106 to 0.7224. change PR81 from 154K(0402_1%) to 80.6K(0402_1%)	0.1	46	change resistance PR81 value from 154K to 80.6K	2009/09/22	EVT_NEW75
6	ADD switch circuit for 1.05V	Cause follow AMD electrcial sheet, VDDIO/ VDDR voltage setting procedure. AMD processor will switch between 1.05V and 0.9V by VDDIO and VDDR	0.1	48	ADD PR161 (165K_0402_1%), PQ58, PR152(10K_0402_5%), PR160(10K_0402_5%), PC131(0.1U_25V6) , change PR161 value from 100K to 249K, and ADD enable net name -VDDR_SW	2009/09/22	EVT_NEW75
7	Change enable signal of +CPU_VDDRP	Cause follow HW demand	0.1	41	change +CPU_VDDR enable signal from VLDT_EN to VR_ON	2009/10/02	EVT_NEW75_6L
8	change resistance size	cause for component de-rating . Prevent the component break down when inrush current happen.	0.1	39	change PR61 from (0.02_1206_1%) to (0.02_2512_1%)	2009/10/06	EVT_NEW75
9	change capacitor value for 0.75VSP request	Cause follow HW request	0.1	41	Change PC103 value from 10u to 22u	2009/10/15	EVT_NEW75_6L
10	Add snubber and boost resistance of 1.1Valw and 1.5V	Cause follow EMI request	0.2	39	Add 4.7 ohm to PR100, add cap. 680p to PC78 and add 2.2 ohm to PR98. Add 4.7 ohm to PR110, add cap. 680p to PC88 and add 2.2 ohm to PR108	2009/11/23	EVT_NEW75_6L
11	Add bead	For reduce B+ noise	0.2	37,39,40	Add PL31,PL32,PL33(SM010020720) and PL26(SM010018210)	2009/11/23	EVT_NEW75_6L
12	Change chock	Cause A phase put wrong chock	0.2	37,39,40	Change PL9 from SH00000FK00 to SH000009Q00	2009/11/23	EVT_NEW75_6L
13	Change resistance value	Cause Hw request 1.1Valw need to set to 1.15V, so change divider resistance PR104	0.2	39	Change PR104 from SD000000680 (S RES 1/16W 8.45K +-1% 0402) to SD034887180 (S RES 1/16W 8.87K +-1% 0402)	2009/12/01	EVT_NEW75_6L
14	ADD capacitance	Cause EMI request	0.2	43	ADD PC219 PC220 SE074222K80 (S CER CAP 2200P 50V K X7R 0402) and PC221 PC222 SE00000MJ00 (S CER CAP 0.047U 25V K X7R 0402)	2009/12/01	EVT_NEW75_6L
15	change resistance value	Cause NB_CORE need to switch	0.2	40	change PR158 from SD034232280 (S RES 1/16W 23.2K +-1% 0402) to SD034118280 (S RES 1/16W 11.8K +-1% 0402)	2009/12/01	EVT_NEW75_6L
16	ADD Boost resistance	Cause EMI request	0.2	37-43	ADD PR40, PR47,PR117 and PR230 from SD013000080 (S RES 1/10W 0 +-5% 0603) to SD013220B80 (S RES 1/10W 2.2 +-5% 0603)	2009/12/01	EVT_NEW75_6L

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2007/09/20	Deciphered Date	2010/03/12	Title	SCHMATICS, MB A5912
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	401829
				Date:	Wednesday, June 30, 2010
				Sheet	44 of 45

11/20

- 1. P.21 unstuff Y4, C588, C589, R368 for AMD suggest
- 2. P.19 Modify Y3 net connect
- 3. P.25 Change C923, C924 as 33pF for Y5

11/24

- 1. P.13, P.15, P.20, P.23 Add Ext@ & Int@ option ; Modify CLK_SBLINK_BCLK net connect
- 2. P.13, P.16, P.20 Add VB@ & UNVB@ option
- 3. P.34 Change U38 as 4430(SB000007010)
- 4. P.27 Add R835, R837 unstuff D44, R836 for WiMax/Wlan LED request ; change R492 as 100Komh for EC request
- 5. P.30 Change R477, R499 as 680ohm ; R478, R498 as 3.9kohm for LED brightness

11/25

- 1. P.19, P20 update SB GPIO PIN
- 2. P.29 Add R838, R839 for EC RevD3, E0
- 3. P.34 Add C972, C973, C974, C975, C976, C977, C978 for EMI Request
- 4. P.15 Remove R245, R247 for unSD CLK
- 5. P.13 Add R840 for CLK_NB_14.318

11/28

- 1. P.30 JLED1, JLED2 Pin define modify; Add Q73
- 2. P.23 Add R841, R842, R843 ; P.29 Add R844, R845 for Panel Low Power
- 3. P.28 Change D10 P/N as SC300000B00 ; Stuff D41, D27, D39, D11, D13, D29, D24 For ESD Request

PVT

01/18

- 1. P.17 Add HDMI@
- 2. P.19 Change C56 as SF000002N00(H4.4)
- 3. P.13 stuff R67, unstuff U4 for NB_PWRGD
- 4. P.21 stuff R424 for +CPU_VDDR
- 5. P.30 Change LED1, LED3 as SC591NB5A30 ; Change Resistance value for NEW75/85/95
- 6. P.32 Change C957, C971 as 0.47UF
- 7. P.20 Unstuff R359, R360 for SB_SIC, SB_SID

01/25

- 1. P.30 Change Q26 as SB00000DH00
- 2. P.29 Define U26 Pin 36, Pin 17, Pin 85, Pin86 for WWAN & WLAN
- 3. P.31 Reserve C979, C980, R849, R850 for EMI solution
- 4. P.9 Change C23, C24, C25, C26, C75 as SGA19331D10 (ESR 9 ohm)

03/02

- 1. P.29 Add R851, unstuff R852

03/30 For MP

- 1. P.8, P33 unstuff C21, SW3 for MP

05/18 For Cost down

- 1. P.8, P.29, P.31, P.32 unstuff Q73, D24, D27, D29, U2, U40, C681, R304 ,C687, R411 stuff R283

05/18 For PEW56

- 1. Modify SB GPIO64, B_ID, P_ID, LED, TSI BOM option

Security Classification		Compal Secret Data				Compal Electronics, Inc.							
Issued Date		2009/10/06		Deciphered Date		2010/03/12		Title					
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.								SCHEMATICS, MB A5912					
								Size B		Document Number 401829		Rev C	
								Date: Wednesday, June 30, 2010		Sheet 45 of 45			