

Compal Confidential

PAV70 DDR3 Schematics Document

Intel Pineview Processor with Tigerpoint + DDRIII

2010-06-25

REV: 1.0

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2006/08/18	Deciphered Date	2007/8/18	Title	Cover Page
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size B	Document Number LA-6421P
				Date: Friday, June 25, 2010	Rev 0.1 Sheet 1 of 39

Model Name : PAV50
File Name : LA-6421P



Thermal Sensor
EMC1402
page 5

CRT Conn
page 10

LCD Conn.
page 9

Pineview
FCBGA 559
22x22mm
page 4, 5, 6

Clock Generator
CK505
page 8

Memory BUS(DDRIII)
DDRIII-SO-DIMM
page 7

DMI
X2 mode
GEN1

Tigerpoint
PCBGA360
17x17mm
page 11, 12, 13, 14

MINI Card x1
3G
page 15

WLAN
page 26

10/100 Ethernet
AR8152
page 25

Transfermer

RJ45

TPM
page 27

HDD
page 16

USB Port x2(L)
page 20

BlueTooth
page 15

CMOS CAM
page 9

3G
page 15

USB Port x1(R)
page 20

Card Reader
ENE6252
page 25

Power ON/OFF
page 18

DC/DC Interface
page 29

DC IN
page 30

3VALW/5VALW
page 33

BATT IN
page 31

1.5VP/VCCP
page 34

CHARGER
page 32

0.89VP/1.8VP
0.75VS
page 35

CPU_CORE
page 36

Int.KBD
page 19

ENE KBC
KB926
page 17

SPI ROM
page 17

Light Sensor
page 27

Touch Pad
page 19

Aralia Codec
ALC272
page 22

AMP & INT
Speaker

INT MIC

HeadPhone &
MIC Jack

SD/MMC/MS
CONN

Security Classification	Compal Secret Data			Compal Electronics, Inc.		
Issued Date	2006/08/18	Deciphered Date	2007/8/18	Title		
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number	Rev
				B	LA-6421P	0.1
				Date:	Friday, June 25, 2010	Sheet 2 of 39

Voltage Rails

Power Plane	Description	S1	S3	S5
VIN	Adapter power supply (19V)	N/A	N/A	N/A
B+	AC or battery power rail for power circuit.	N/A	N/A	N/A
+CPU_CORE	Core voltage for CPU	ON	OFF	OFF
+0.75VS	0.75V switched power rail for DDR terminator	ON	OFF	OFF
+VCCP	VCCP switched power rail	ON	OFF	OFF
+1.5VS	1.5V switched power rail	ON	OFF	OFF
+1.5V	1.5V power rail for DDR	ON	ON	OFF
+0.89V	Graphic core power rail	ON	OFF	OFF
+3VALW	3.3V always on power rail	ON	ON	ON*
+3VS	3.3V switched power rail	ON	OFF	OFF
+5VALW	5V always on power rail	ON	ON	ON*
+5VS	5V switched power rail	ON	OFF	OFF
+VSB	VSB always on power rail	ON	ON	ON*
+RTCVCC	RTC power	ON	ON	ON

Note : ON* means that this power plane is ON only with AC power available, otherwise it is OFF.

STATE \ SIGNAL	SLP_S3#	SLP_S4#	SLP_S5#	+VALW	+V	+VS	Clock
Full ON	HIGH	HIGH	HIGH	ON	ON	ON	ON
S1 (Power On Suspend)	HIGH	HIGH	HIGH	ON	ON	ON	LOW
S3 (Suspend to RAM)	LOW	HIGH	HIGH	ON	ON	OFF	OFF
S4 (Suspend to Disk)	LOW	LOW	HIGH	ON	OFF	OFF	OFF
S5 (Soft OFF)	LOW	LOW	LOW	ON	OFF	OFF	OFF

BOARD ID Table(Page 17)

	VCC	3.3V				
	Ra	100K				
	ID	BRD ID	Rb	Vab-Min	Vab-Typ	Vab-Max
PAV50	0	R01 (EVT)	0	0V	0V	0V
	1	R02 (DVT)	8.2K	0.216V	0.250V	0.289V
	2	R03 (PVT)	18K	0.436V	0.503V	0.538V
	3	R10A (MP)	33K	0.712V	0.819V	0.875V
	4	R01 (EVT)	56K	1.036V	1.185V	1.264V
	5	R02 (DVT)	100K	1.453V	1.650V	1.759V
	6	R03 (PVT)	200K	1.935V	2.200V	2.341V
	7	R10A (MP)	NC	2.500V	3.3V	3.3V

External PCI Devices

DEVICE	IDSEL #	REQ/GNT #	PIRQ
--------	---------	-----------	------

No PCI Device

EC SM Bus1 address


EC SM Bus2 address

Device	Address	Device	Address
Smart Battery	0001 011X b	EMC1402	100_1100


ICH7M SM Bus address

Device	Address
Clock Generator (SLG8SP556VTR)	1101 001Xb
DDR DIMMA	1010 000Xb






Security Classification	Compal Secret Data			Compal Electronics, Inc.		
Issued Date	2006/08/18	Deciphered Date	2007/8/18	Title		
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Notes List		
				Size B	Document Number	Rev 0.1
				Date:	Monday, May 03, 2010	Sheet 3 of 39



GFX supply current: 2.64A







DDR supply current 2.27A






N475@

REV - 1.1






REV - 1.1

REV - 1.1





REV - 1.1

REV - 1.1






REV - 1.1

REV - 1.1





REV - 1.1

REV - 1.1





REV - 1.1

REV - 1.1






REV - 1.1

REV - 1.1







REV - 1.1

REV - 1.1




REV - 1.1

REV - 1.1





REV - 1.1

REV - 1.1




REV - 1.1

REV - 1.1








REV - 1.1

REV - 1.1




REV - 1.1


REV - 1.1





2010/01/18 DDR3 modify



Layout Note:
Place near JDIMM1




Layout Note:
Place near JDIMM1.203 & JDIMM1.204



Layout Note:
Place near JDIMM1.1

Change C116,C141 to
SE076104K80 2010/04/06

Layout Note:
Place near JDIMM1.126



(4) DDR_A_QDS#[0..7]

(4) DDR_A_D[0..63]

(4) DDR_A_DM[0..7]

(4) DDR_A_QDS#[0..7]

(4) DDR_A_MA[0..14]

DIMM_A(REV)
4H

Security Classification	Compal Secret Data			Compal Electronics, Inc.		
Issued Date	2006/08/18	Deciphered Date	2007/8/18	Title DDR3-SODIMMA		
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size B	Document Number	Rev 0.1
				LA-6421P		
				Date	Tuesday, June 22, 2010	Sheet 7 of 39

FSC	FSB	FSA	CPU	SRC	PCI	REF	DOT_96	USB
CLKSEL2	CLKSEL1	CLKSEL0	MHz	MHz	MHz	MHz	MHz	MHz
0	0	0	266	100	33.3	14.318	96.0	48.0
0	0	1	133	100	33.3	14.318	96.0	48.0
0	1	0	200	100	33.3	14.318	96.0	48.0
0	1	1	166	100	33.3	14.318	96.0	48.0
1	0	0	333	100	33.3	14.318	96.0	48.0
1	0	1	100	100	33.3	14.318	96.0	48.0
1	1	0	400	100	33.3	14.318	96.0	48.0
1	1	1						
Reserved								

Add C1145 C1146 C1147 for EMI 06/12

IDT: SA00003H610

Change Q10 to SB00000DH00 2010/04/06






Realtek: SA00003H730

SRC PORT LIST

PORT	DEVICE
SRC1	CPU_SSCDREFCLK
SRC2	
SRC3	
SRC4	PCIE_WLAN
SRC6	PCIE_SATA
SRC7	PCIE_PCH
SRC8	CPU_ITP
SRC9	CLK_CPU_EXP
SRC10	PCIE_LAN
SRC11	PCIE_WWAN

REQ PORT LIST

PORT	DEVICE
REQ_3#	
REQ_4#	PCIE_WLAN
REQ_6#	
REQ_7#	
REQ_9#	
REQ_10#	PCIE_WWAN
REQ_11#	
REQ_A#	



Change R577 to 0402 SIZE 06/16




Modify JLVDS1 08/04






Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2006/08/18	Deciphered Date	2007/8/18	Title	LVDS /INVERTER
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size B	Document Number
				LA-6421P	
				Date:	Friday, June 25, 2010
				Sheet	9 of 39

Change L12. L14, L15 to SM01000C600 2010/04/06





Security Classification		Compal Secret Data		Compal Electronics, Inc.			
Issued Date	2006/08/18	Deciphered Date	2007/8/18	Title CRT PORT			
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D TO ANY OTHER FUNCTION OR DEPARTMENT AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number	Rev	
				B	LA-6421P	0.1	
				Date:	Tuesday, June 22, 2010	Sheet	10 of 39



STRAP2# GPIO17	STRAP1# GPIO48	Boot BIOS
0	1	SPI
1	0	PCI
1	1	LPC



Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2006/08/18	Deciphered Date	2007/8/18	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Tigerpoint(1/4)	
Size		Document Number		Rev	
		LA-6421P		0.1	
Date		Thursday, June 03, 2010		Sheet 11 of 39	







Security Classification		Compal Secret Data				Compal Electronics, Inc.					
Issued Date		2006/08/18		Deciphered Date		2007/8/18		Title			
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.						Tigerpoint(2/4)					
						Size		Document Number		Rev	
						Custom		LA-6421P		0.1	
Date:						Thursday, June 03, 2010		Sheet 12 of 39			

PCIe Port List	
1	LAN
2	WLAN
3	WWAN
4	

USB Port List	
0	USB Left1
1	USB Left2
2	USB Right2
3	CMOS
4	CardReader
5	WWAN
6	BT
7	WIMAX





Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/04/15	Deciphered Date	2010/04/15	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Tigerpoint(4/4)	
Size	Document Number	LA-6421P		Rev	0.1
Date:	Thursday, March 25, 2010	Sheet	14	of	39

Change JMINI1 to FOX_AS0B246-S50U-7F_52P-T 06/29

Add C1163 C1164 C1165 C1166 06/23

Add C850 06/12


Change C847 to SE000000K80 2010/04/06

Close to WWAN CONN

Change to PCIE_P3 05/13

Add C1115 C1114 C1116 C1117 C1118 05/11
Change C512 to 1U_0402 05/14

Reserve for SIM card does not meet rise time and pull-up is needed.





Security Classification	Compal Secret Data			Compal Electronics, Inc.	
Issued Date	2006/08/05	Deciphered Date	2007/8/18	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Mini-Card/BT CONN	
				Size	Document Number
				LA-6421P	
				Date	Monday, June 28, 2010
				Sheet	15 of 39
				Rev	0.1

ADD LED PCB CONN 06/12


Change JP18 to NEW P/N 06/23

09/03 Change +5VALW , +5VS to +3VALW +3VS

LED PCB CONN




SATA HDD Conn.




Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2006/08/18	Deciphered Date	2007/8/18	Title	SATA CONN./LED/B CONN./BATT CONN.
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size B	Document Number
				LA-6421P	Rev 0.1
				Date: Thursday, June 03, 2010	Sheet 16 of 39



2 → LIGHT_SENSOR_INT# (27)
Add for Light-sensor interrupt 2010/03/11




8M SPI ROM



Security Classification		Compal Secret Data		Compal Electronics, Inc.		
Issued Date	2006/08/04	Deciphered Date	2007/8/18	Title KB926/BIOS		
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size Custom	Document Number LA-6421P	Rev 0.1
				Date: Monday, June 28, 2010 11:57 AM		
				Sheet 17 of 39		

EVQPLMA15 SPST PANASONIC H1.5

PWR_LED1#	C1169	1	2	@100P_0402_50V8J
ON/OFFBTN#	C1170	1	2	@100P_0402_50V8J



(BLUE)

+3VS

51 $\pm$ 5% 0402
R1454

LED3
HT-191NBS-DT BLUE 0603

PWR_LED1#

10mil

(BLUE)

+3VS

70@

51 $\pm$ 5% 0402
R1455

70@

LED4
HT-191NBS-DT BLUE 0603

PWR_LED1#

PWR_LED1# (17)

10mil

Bottom Side

ON/OFFBTN#

ON/OFF#

510N#

ON/OFF# (17)

510N# (30)

<BOM Structure>

C4 1000P 0402_50V7K

D1 RLZ20A_LL34

Q1 2N7002W-T/R_SOT323-3

<BOM Structure>

R3 10K_0402_5%

EC_ON

ON/OFFBTN#

ON/OFF#

510N#

ON/OFF# (17)

510N# (30)

<BOM Structure>

C4 1000P 0402_50V7K

D1 RLZ20A_LL34

Q1 2N7002W-T/R_SOT323-3




<BOM Structure>

R3 10K_0402_5%


EC_ON

The schematic shows the LID_SW# signal path. The APX9132ATI-TRL SOT-23 3P (U5) chip has its OUTPUT pin connected to a 0.1uF capacitor (C155) to ground and a 10pF capacitor (C150) to the LID_SW# pin (17). A dashed circle indicates a connection to Del R103 05/12.

Security Classification		Compal Secret Data		Compal Electronics, Inc.		
Issued Date	2006/08/18	Deciphered Date	2007/8/18	Title ON/OFF / PWR SW/ LID SW		
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size B	Document Number LA-6421P	Rev 0.1
				Date: Thursday, June 03, 2010		
				Sheet 18 of 39		




6/26 Add circuit




Modify MONO_IN schematic,move some parts to I/O Board , Add the MONO_IN_R on M/B 06/25

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2006/08/18	Deciphered Date	2007/8/18	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				KB Conn/TP/CR Conn	
Size		Document Number		Rev	
B		LA-6421P		0.1	
Date:		Tuesday, June 22, 2010		Sheet 19 of 39	






USB CONN.1



Change JUSB1 JUSB2 to NEW P/N SP010906181 06/23





USB CONN.2




USB CONN. 3



Security Classification				Compal Secret Data				Compal Electronics, Inc.			
Issued Date				2006/08/18				Deciphered Date			
								2007/8/18			
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.								Title			
								USB PORTS			
								Size B			
								Document Number			
								LA-6421P			
								Rev 0.1			
								Date: Thursday, June 03, 2010			
								Sheet 20 of 39			




C1048 - C1049 close to U1




07/02 Revised C1053 to 0.01u

ByPass Capacitors

08/06 Add R1347 ~ R1348




If use external crystal (Y4), U1 will change UB6252







07/02 Update JREADER1


Card Reader Connector








Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/01/22	Deciphered Date	2009/11/20	Card reader	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Title	Rev
				Size	0.1
				Document Number	LA-6421P
				Date	Thursday, June 03, 2010
				Sheet	21 of 39




Sense Pin	Impedance	Codec Signals
SENSE A	39.2K	PORT-A (PIN 39, 41)
	20K	PORT-B (PIN 21, 22)
	10K	PORT-C (PIN 23, 24)
	5.1K	PORT-D (PIN 35, 36)
SENSE B	39.2K	PORT-E (PIN 14, 15)
	20K	PORT-F (PIN 16, 17)
	10K	PORT-G (PIN 43, 44)
	5.1K	PORT-H (PIN 45, 46)



Int. Speaker Conn.




6/19 Update Headphone connector



6/19 Update MIC connector


Compal Electronics, Inc.			
Title	<Title> Amplifier & Audio Jack		
Size	Document Number	Rev	
Custom	LA-6421P	LA-6222P	0.1
Date:	Tuesday, June 22, 2010	Sheet	23 of 39

HD Audio Codec




Sense Pin	Impedance	Codec Signals
SENSE A	39.2K	PORT-A (PIN 39, 41)
	20K	PORT-B (PIN 21, 22)
	10K	PORT-C (PIN 23, 24)
	5.1K	PORT-D (PIN 35, 36)
SENSE B	39.2K	PORT-E (PIN 14, 15)
	20K	PORT-F (PIN 16, 17)
	10K	PORT-G (PIN 43, 44)
	5.1K	PORT-H (PIN 45, 46)






Change LAN chip to AR8152-L for NAV70/80 DDR3 2010/01/22





Mount C881, C393, R680, C876, C877. No mount L10, C861, C860.



Change C865,C870,C873,C876 to SE000000K80 2010/04/06




Change C875 to SE000000K80 2010/04/06




Security Classification		Compal Secret Data		Compal Electronics, Inc.		
Issued Date	2009/7/7	Deciphered Date	2010/7/7	Title	LAN AR8152	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number	Rev 0.1
				Custom	LA-6421P	
				Date:		Thursday, June 03, 2010

Mini-Express Card for WWAN




Mini-Express Card for WLAN






5/12 Update WLAN connector(the same as KAV60)
6/1 Revised 37、39、41、42、43 to NC
6/12 Update connector to DC040006S00
6/26 Update JMINI1 footprint
7/01 update pin 23,25,31,33

Change Y7 to SJ132P7KW10 2010/04/06




Modify Hole location by (ME Drawing 06/12) 0615




Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2006/08/18	Deciphered Date	2007/8/18	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Screw	
Size	B	Document Number	LA-6421P	Rev	0.1
Date:		Thursday, March 25, 2010		Sheet	28 of 39


+5VALW TO +5VS



+3VALW TO +3VS






+1.5V to +1.5VS




Change Q12,Q14,Q17,Q28 to SB00000DH00 2010/04/06










Change C176,C219,C395 to SE080105K80 2010/04/06



Change Q6,Q8 to SB00000DH00 2010/04/06






Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2006/08/18	Deciphered Date	2007/8/18	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size B	Document Number
				LA-6421P	
				Date: Thursday, June 03, 2010	Rev 0.1
				Sheet 29 of 39	




Security Classification		Compal Secret Data				Compal Electronics, Inc.									
Issued Date		2007/09/20		Deciphered Date		2008/09/20		Title							
								DCIN & DETECTOR							
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.						Size		Document Number		Rev					
						Custom		LA-6421P		0.1					
						Date:		Tuesday, June 22, 2010				Sheet		30 of 39	

PH1 under CPU botten side :
CPU thermal protection at 92 degree C
Recovery at 72 degree C



Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2007/09/20	Deciphered Date	2008/09/20	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number
				Custom	LA-6421P
				Date:	Tuesday, June 22, 2010
				Sheet	31 of 39
				Rev	0.1



Iada=0~1.58A(30W) CP = 85%*Iada ; CP = 1.343A

CP mode
 $V_{acim} = 2.39 * (20K / (20K + 38.3K)) = 0.8199V$
 $I_{input} = (1/0.05) * ((0.05 * V_{acim}) / 2.39 + 0.05)$
 where $V_{acim} = 0.8199V$, $I_{input} = 1.343A$


CC=0.3~1.76A
 $I_{REF} = 1.62 * I_{charge}$
 $I_{REF} = 0.486V \sim 2.85V$
 $3.24V \Rightarrow 2A$

BATT Type	Charging Voltage (0x15)	CV mode
Normal 3S LI-ON Cells	12600mV	12.60V

VADJ-->VREF-->4.41V
 VADJ-->Ground-->3.59V
 $V_{cell} = (0.175 * VADJ + 3.99)$

Security Classification		Compal Secret Data	
Issued Date	2007/09/20	Deciphered Date	2008/09/20
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.			


Compal Electronics, Inc.			
CHARGER			
Size	Document Number	Rev	
Custom	LA-6421P	0.1	
Date:	Tuesday, June 22, 2010	Sheet	32 of 39



+3.3VALWP Ipeak=5.731A Imax=4.012A
Rds(on)=17.9m ohm(max) ; Rds(on)=14.5m ohm(typical)
Vtrip=(10E-06 * 130K)/9-24mV=134.9mV
Ilimit=134.9mV/17.9m ~134.9mV/14.5m x 1.2
=7.536A ~ 7.752A
Iocp=Ilimit+Delta I/2
=8.081A ~ 8.297A
Delta I=1.090A (Freq=305KHz)

+5VALWP Ipeak=7.0A Imax=4.9A
Rds(on)=17.9m ohm(max) ; Rds(on)=14.5m ohm(typical)
Vtrip=(10E-06 * 147K)/9-24mV=151mV
Ilimit=151mV/17.9m ~151mV/14.5m x 1.2
=8.467A ~ 8.710A
Iocp=Ilimit+Delta I/2
=9.384A ~ 9.627A
Delta I=1.834A (Freq=245KHz)


Security Classification		Compal Secret Data				Compal Electronics, Inc.			
Issued Date		2007/11/12		Deciphered Date		2008/11/12		Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.		+5V/+3V							
		Size	Document Number						Rev
		Custom	LA-6421P						0.1
		Date:	Tuesday, June 22, 2010			Sheet	33	of	39



```
<Vo=1.05V> VFB=0.75V
Vo=VFB*(1+PR105/PR106)=0.75*(1+3.48K/8.25K)=1.05V
Fsw=280KHz

Cout ESR=15m ohm Rds(on)(max)=17.9m Rds(on)(typical)=14.5m
Ipeak=3.124A, Imax=2.187A, Iocp=3.749A
Delta I=((19-1.05)*(1.05/19))/(1.5u*280K)=3.549A
=>1/2DeltaI=1.774A
Vtrip=Rtrip*10uA=14K*10uA=0.14V
Iocpmin=Vtrip/(Rds(on)(max))+1.774
=0.14/(0.0179)+1.774=9.596A
Iocpmax=(0.14/(0.0145*1.2))+1.774=9.820A
Iocp=9.596A~9.820A
```


Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2007/09/20	Deciphered Date	2008/09/20	Title 1.5VP / +VCCPP	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Rev
				Custom	0.1
Date:	Tues Jan 22 2010	Sheet	34	of	39



$$\langle V_o = 0.89V \rangle \quad V_{FB} = 0.6V$$

$$V_o = V_{FB} * (1 + PR114 / PR115) = 0.6 * (1 + 30.1K / 61.9K) = 0.89V$$


$$I_{peak} = 2.64A, \quad I_{max} = 1.848A$$



$$\langle V_o = 1.8V \rangle \quad V_{FB} = 0.6V$$

$$V_o = V_{FB} * (1 + PR118 / PR120) = 0.6 * (1 + 124K / 61.9K) = 1.8V$$

$$I_{peak} = 0.318A, \quad I_{max} = 0.223A$$



$$I_{peak} = 1A, \quad I_{max} = 0.7A$$

Security Classification	Compal Secret Data			Compal Electronics, Inc.		
Issued Date	2007/09/20	Deciphered Date	2008/09/20	Title	+0.89VP/+1.8VP/+0.75VS	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size Custom	Document Number	Rev
					LA-6421P	0.1
Date:	Tuesday, June 22, 2010	Sheet	35	of	39	

Version change list (P.I.R. List)

Page 1 of 1 for PWR

Item	Fixed Issue	Reason for change	Rev.	PG#	Modify List	Date	Phase
1	Change power solution	For design change	0.1	34	Change PU7 from SA000031D00(S IC RT8209BGQW WQFN 14P PWM) to SA00003RU00(S IC SY8033BDBC DFN 10P SINGLE BUCK)	2010.5.03	DVT
2	Change PU8 SY8033B Pin1 net	For design change	0.1	34	Change PU8 SY8033B Pin1 connect Pin2 & Pin3	2010.5.03	DVT
3	Change PC100	For design change	0.1	34	Change PC100 to SE071680J80 (S CER CAP 68P 50V J NPO 0402)	2010.5.03	DVT
4	Change PR105	For design change	0.1	32	Change PR105 from SD034100200(S RES 1/16W 10K +-1% 0402) to SD034100280 (S RES 1/16W 10K +-1% 0402)	2010.5.13	DVT
5	Change PC30 & PC32 to non-pop	For cost down plan	0.1	33		2010.6.2	PVT
6	Change PL3,PL4,PL5,PL6,PL7,PL8, PL10,PL14	For TMP choke shortage issue	0.1		Change PL3,PL4,PL5 from SH00000J100 to SH00000BS00 Change PL6,PL10 from SH00000FD10 to SH000000700 Change PL7,PL8 from SH00000J300 to SH000007N00 Change PL14 from SH00000IS00 to SH00000HY00	2010.6.2	PVT
7	Change power solution	For design change	0.1	34	Change PU7 from SA00003RU00(S IC SY8033BDBC DFN 10P SINGLE BUCK) to SA000031D00(S IC RT8209BGQW WQFN 14P PWM)	2010.6.8	PVT
8	Change PD10.PD13.PC58.PR64. PQ18 to non-pop Change PR84 to pop	For cost down plan	0.1	33		2010.6.10	PVT
9	Modify CPU CORE OCP for N550	Design change for N550 CPU	0.1	32	Add PR209 = SD034357180 (3.57K_0402_1%) @N550 PR209 = SD034357180 (2.37K_0402_1%) @N4XX series	2010.6.10	PVT
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2007/09/20	Deciphered Date	2008/09/20	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				PIR (PWR)	
				Size Custom	Document Number LA-6421P
Date:				Tuesday, June 22, 2010	
				Sheet 37 of 39	

Item	Fixed Issue	Reason for change	Rev.	PG#	Modify List	Date	Phase
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							

<2010/03/25>
. P06 - Add C1217, C1218 for +0.89V
. P08 - Add R1442, R1443
. P09 - Add R1444, R1445 for DMIC
. P10 - L12, L14, L15 change to SM010000200
. P23 - Add JP24 for cardreader connector

<2010/06/28>
. P04 - Change C239 BOM structure to 3G@
. P17 - Change C528, C530, C531 BOM structure to 3G@

<2010/03/26>
. P27 - Add R1448, R1449, R1450,R1451,R1452
JP22 change to SP02000H500

<2010/04/06>
. P10 - Change L12. L14, L15 to SM01000C600
. P26 - Add R1453
. P21 - Change Y6 to SJ100005900
. P25 - Change Y5 to SJ100003300
Change C847,C865,C870,C873,C875,C876 SE000000K80
. P13 - Change X1,Y3,Y7 to SJ132P7KW10
. P22 - Change U26 to SA00001N000
. P29 - Change Q6,Q8,Q10,Q12,Q14,Q17,Q24,Q28 to SB00000DH00
Change C176,C219,C230,C395 to SE080105K80
. P07 - Change C116,C141 to SE076104K80

<2010/04/14>
. P06 - Del C1218 2010/04/14
. P08 - Del C1219, R1442 change Y1 to SJ100009H00
. P27 - Add TPM@ GSEN@ for PAV70

<2010/05/03>
. P04 - R354, R347, R348 nu-mount
. P13 - Change R152 to SD034226A80(22.6ohm_0402)
. P13 - Change R241 to SD028100280(10Kohm_0402)
. P13 - R1376, R1377 nu-mount
. P16 - Add JBATT1 CONN.
. P17 - Change U76 to SA00001V400
. P17 - Change R1292 to SD028820180

<2010/05/04>
. P16 - Change JBATT1 NET to +RTCBATT1
. P27 - Add J15, J16

<2010/05/06>
. P10 - Change L12, L14 and L15 footprint
. P27 - Del J15, J16 ; Add R1457, R1458
. P27 - U81.15 connect to GND

<2010/05/24>
. P04 - Change U71 to SA00003WBA0(N475@) and SA00003WAB0(N455@)
. P08 - Change C161, C164 to SE071330J80(33P 50V J NPO 0402)
. P08 - Change C388 to SE071100J80(10P 50V J NPO 0402)
. P22 - Change C473 to SE107475K80(4.7U 6.3V K X5R 0603)

<2010/06/01>
. P13 - Add NET: EC_CLK
. P17 - Add R1459, R1460 for Reserve EC_CLK
. P17 - Change U6.36 NET to PWR_LED1#
. P18 - Change NET from PWR_LED# to PWR_LED1#

<2010/06/07>
. P06 - Change C239 footprint to 0805 size
. P17 - Del JP23
. P26 - Change R1325 to 100k-ohm

<2010/06/25>
. P04 - Change C311 BOM configure to un-mount
. P09 - Change C1109, C1111, C1112, C1156 BOM configure to 3G@
. P15 - Change C1163-C1166, C504-C508, C850 BOM configure to MCP@
. P17 - Change C528, C530, C531 BOM configure to un-mount
. P10 - Change D17, D18 BOM configure to un-mount
. P22 - Change D22 BOM configure to un-mount
. P23 - Change D44, D45 BOM configure to un-mount

Title			
<Title>			
Size	Document Number		Rev
Custom	LA-6421P		0.1
Date:	Monday, June 28, 2010		Sheet 39 of 39